



Omega Bracket POI

Item no. 83060623 (BL) / 83060624 (WH)



Description

The POI Omega Bracket is a stainless steel anti-corrosion mounting solution intended for fastening a wide range of SGM POI lighting fixtures to a surface. Multiple clamps can be attached to this bracket for permanent installation.

Features and benefits

- ✓ Quick adjustment via M-10 screws
- ✓ Standard mounting system for all SGM POI products

Certifications & classifications

Specification

Physical	Color options	Black - RAL 9004 Custom color - Any RAL White - RAL 9010
	Corrosion class	C5-M (ISO 12944)
	Material	Stainless Steel
	Net dimensions	137 x 59 x 35 mm
	Net dimensions inches	5.4 x 2.3 x 1.4 inches
	Net weight	0.3 kg (0.7 lbs)
Installation	Orientation	Any
	Rigging possibilities	13mm / 0.5in hole diameter for locking point attachment
	Safety features	Designed to withstand 260Kg without deformation, when locked in fixture's base.

NOTES:

Due to continuous improvements and innovations, specifications may change without notice.

LEDs' expected lifetime provided by manufacturer and obtained under manufacturer's test conditions.

Zoom range defined as a minimum beam angle to a maximum field angle.

Photometric measurements obtained with Goniometer Scan / SGM Illumination Lab 1.6.0.0.

Lumen output in pixel products is calculated.

Ordering information

Qty	Product name	Item number
<input type="checkbox"/>		
	Accessories	Item number



Headquarter +45 70 20 74 00

Mail info@sgmlight.com

Website sgmlight.com

Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: sales@techni-lux.com