

SPARKULAR SPECIFICATIONS

SPARKULAR is original innovation products introduced by SHOWVEN, it is the first spark fountain machine in special effects industry. SPARKULAR is designed for highly demanding professional market with adjustable sparks height from 1.5 to 5m.

Features

- Original innovation introduced by SHOWVEN
- Patented non-pyro technology
- Safe, no gunpowder, no smoke and pyro smell
- Adjustable sparks effects from 1.5 to 5m
- Up to 10-20min effects time after fill up
- DMX controllable, can be started and stopped at any time
- Easy setup and teardown

For safety use, please don't touch sparks with hands or other flammable objects.

Specifications

Dimension

200 x 215 x 285 mm

Weight

8.5 kg

Input

BT01: 200-240VAC, 50/60 Hz

BT02: 100 -120VAC, 50/60 Hz

Work Power

500W

Fountain Height

HC8200 MEDIUM: 1.5-3.5m

HC8200 LARGE: 2.0-5.0m

Interface

Double DMX input interfaces,

Double AC power interfaces

Casing material

Anti-Flaming ABS

Packing

Single unit: 274 x 313 x 373 mm

Two units: 575 x 345 x 395 mm

Flightcase (6 units): 830 x 670 x 720 mm



CONSUMABLE HC8200 FOR SPARKULAR

HC8200 is granulated alloy which is designed and produced by SHOWVEN, used on SPARKULAR series machine to generate sparks effects. The component are metal, thus ensure the safety during transportation, storage and usage. For different application scenario the consumable for SPARKULAR divided into three types: HC8200 SMALL, HC8200 MEDIUM, HC8200 LARGE.

Features

Granulated alloy, non-hazmat for storage;
DGM tested, can be shipped by air/sea;
RoHS certified, environmental friendly.

Specifications

Package

200g/bag, Aluminum foil vacuum package.
12bags/box, 12boxes/carton.

Use Time

10-20mins/bag according to the shooting height

Effects Height

HC8200 SMALL: 1.5-3.0m
HC8200 MEDIUM: 1.5-3.5m
HC8200 LARGE: 2.0-5.0m



APPLICATION CASE



Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: sales@techni-lux.com

www.techni-lux.com