

## SPARKULAR mini SPECIFICATIONS

SPARKULAR mini is an affordable sparks solution based on SPARKULAR platform, it is with fixed sparks effects at around 2-3m. Equipped with wireless remote and DMX double control ensure the versatile use for wedding, party, clubs, cruise ships etc. venues and stages.

### Features

- Safe: non pyro, no gunpowder; multi built-in safety sensors
- Integrated wireless technology, unexposed, anti-collision;
- One button start, easy operation;
- Tilt protection, safer for use;
- Wireless remote control and DMX double control;
- Superior and compact design;
- Light weighted and portable, easy to carry.

*For safety use, please don't touch sparks with hands or other flammable objects.*

### Specifications

#### Dimension

168 x 180 x 228 mm

#### Weight

4.5 kg

#### Input

BT06: 200-240VAC, 50/60 Hz

BT07: 100 -120VAC, 50/60 Hz

#### Work Power

400W

#### Fountain Height

Fixed height at around 2-3m

#### Interface

Double DMX input interfaces,

Double AC power interfaces

#### Casing material

Anti-Flaming ABS

#### Packing

Single unit: 260 x 235 x 295 mm

Four units: 545 x 495 x 320 mm

Flightcase (6 units): 705 x 665 x 480 mm



## CONSUMABLE HC8200 FOR SPARKULAR mini

HC8200 is granulated alloy which is designed and produced by SHOWVEN, used on SPARKULAR series machine to generate sparks effects. The component are metal, thus ensure the safety during transportation, storage and usage. For different application scenario the consumable for SPARKULAR mini divided into two types: HC8200 MEDIUM, HC8200 LARGE.

### Features

Granulated alloy, non-hazmat for storage;  
DMG tested, can be shipped by air/sea;  
RoHS certified, environmental friendly.

### Specifications

#### Package

45g/50g per bag, Aluminum foil vacuum package.  
12bags/box, 48boxes/carton.

#### Use Time

3-4mins/bag

#### Effects Height

HC8200 MEDIUM: 2.0-2.5m  
HC8200 LARGE: 3.0-3.5m



## Application Case



Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)

[www.techni-lux.com](http://www.techni-lux.com)