

SIRIUS HRI 550W



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert lighting
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	55246
Product Name	SIRIUS HRI 550W 2/CS 1/SKU
Ordering Abbreviation	SIRIUS HRI 550W
Brand Name	OSRAM
Family Brand Name	SIRIUS HRI
General Description	550 Watts, Mercury short arc, with reflector, 41mm working distance, 80CRI, 7700K CCT
Application	Moving head fixtures

Electrical data

Nominal Wattage	550 W
Nominal Voltage	90 V
Current (A)	6.1 A

Light technical data

Luminous Flux	28000 lm
Color Temperature	7000 K
Color Rendering Index	75
Average Rated Life	1500 h

Physical attributes

Base	SIDE PRONG
Bulb Shape	REFLECTOR
Length l (mm)	72 mm
Diameter d (mm)	58 mm
Electrode Gap - cold (mm)	1.5 mm

Additional product data

Operating Position	Any
Forced Cooling	Required

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
55246	4062172078122	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.4 lb
55246	4062172078139	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.9 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

Distributor:
 Phone: 407-857-8770
Fax: 407-857-8771
Email: sales@techni-lux.com
www.techni-lux.com