

## SIRIUS HRI 550W XL



### Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

### Areas of application

- Concert lighting
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	55247
Product Name	SIRIUS HRI 550W XL 2/CS 1/SKU
Ordering Abbreviation	SIRIUS HRI 550W XL
Brand Name	OSRAM
Family Brand Name	SIRIUS HRI
General Description	550 Watts, Mercury short arc, with reflector, 59mm working distance, 80CRI, 7500K CCT
Application	Moving head fixtures

#### Electrical data

Nominal Wattage	550 W
Nominal Voltage	90 V
Current (A)	6.1 A

#### Light technical data

Luminous Flux	28000 lm
Working Distance a (mm)	59 mm
Color Temperature	7500 K
Color Rendering Index	75
Average Rated Life	1000 h

#### Physical attributes

Base	SIDE PRONG
Bulb Shape	REFLECTOR
Length l (mm)	58 mm
Diameter d (mm)	54 mm
Electrode Gap - cold (mm)	1.5 mm

#### Additional product data

Operating Position	Any
Forced Cooling	Required

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
55247	4062172078153	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.4 lb
55247	4062172078160	Shipping box (Case)	2	7.3 in x 3.8 in x 4.5 in	0.9 lb

## Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

**Distributor:**  
 Phone: 407-857-8770  
Fax: 407-857-8771  
Email: [sales@techni-lux.com](mailto:sales@techni-lux.com)  
[www.techni-lux.com](http://www.techni-lux.com)