


TECLUMEN



Pool & Fountain

PRODUCT CATALOGUE 2019

Quality is the best investment over time.



GILBERTO CASON

Founder and CEO of Teclumen Ltd.

Teclumen started in 1978 as a company specialising in the assembly of theatre lighting. With the passing of time and experience gained in the lighting sector the company was encouraged to create its own trademark and to offer a line of theatre products made in Italy and branded Teclumen.

In 2003 the new head office and production plant was opened, concentrating into a single building the facilities for design, assembly, sales and after sales service.

Today the company's production can satisfy the demands of various sectors such as: lighting for theatres, architecture, gardens, stages and shows, indoors, swimming pools and fountains.

In order to guarantee high quality, Teclumen carries out the main production stages in-house using the best in 3D design technology.

Rapid flexible production is possible thanks to the highly technological machines (laser cutting) used.

As regards the choice of components, Teclumen counts on reliable partners that are internationally acclaimed leaders; the final assembly, entirely in-house, makes it possible to achieve high quality. Teclumen has a well-organised, functional and well-stocked warehouse of products. These aspects facilitate prompt delivery all over the world.

TECLUMEN

Atmospheres of light

We have been expressing our ideas in light since 1978, creating evocative atmospheres with our quality products and an efficient service.



Emotion



We Design Emotions with light drawing on our extensive experience in the sector. Since 1978 Teclumen has been able to create emotion in the theatre, indoor and outdoor environments, in gardens, swimming pools and fountains.

Custom



The availability of leading edge technology (laser cutting machines) allows great flexibility in design and the production of custom products.

Support



We can suggest the products most suitable for specific applications, providing all the documentation necessary to help in buying the right item. With the help of our technical department we can provide all the support necessary for correct installation and use of the product.

R&D



The development of new products and ongoing research into innovative materials is a constant commitment for offering the best solutions to the national and international market.

Experience



Teclumen has been operating in the lighting sector since 1978. The effectiveness of the production and commercial policy of Teclumen has made it possible for the company to reach a very important position in the international lighting sector.

Quality



Teclumen carries out the main stages of production in-house and is able to develop products that satisfy market demands, always making quality the prime concern.

Our projects: we design emotions with light drawing on our extensive experience in the sector.

We have been designing emotions with light since 1978. Our lighting projects have included theatres, architectural structures, indoor and outdoor spaces, swimming pools and fountains.

Our experience in the world of entertainment has enabled us to create stage effects combining light, space and shapes.



The Triton Fountain
Malta



San Tommaso Residence
Polignano a Mare



Expo 2015 | Tree of Life
Milan

Illumination underwater with a coloured light amazes, relaxes, activates: by using static and dynamic colour changes every space underwater acquires a character which relates to the context. Fountains and water features are a timeless source of fascination and amazement, unequalled for en-

hancing a location and giving it a particular charm. The introduction of LED technology in these situations adds the possibility of synchronising light with sound, creating a genuine spectacle of dancing water.

Swimming Pools - FIX



17
PERLA POWER



18
PERLA POWER



19
PERLA



20
PERLA



21
PERLA POWER
IN



22
PERLA IN



23
MINI PERLA



24
MINI PERLA



25
MINI PERLA



26
MINI PERLA



27
MINI PERLA IN



28
MINI PERLA IN



29
MICRO PERLA



30
MICRO PERLA



31
MICRO PERLA



32
MICRO PERLA



33
MICRO PERLA IN



34
MICRO PERLA IN



35
MAGIC LINEA



36
MAGIC LINEA IN



37
PAR 56 POWER



38
PAR 56



39
PAR 56 ECO



40
MAGIC SUB



41
MAGIC SUB



42
MAGIC SUB



43
MAGIC SUB



44
MAGIC SUB IN



45
MAGIC SUB IN



46
MINI SUB
SPECIAL



47
STW POWER



48
STW

Swimming Pools - OC



51
PERLA RGBW
POWER



52
PERLA RGBW
POWER



53
PERLA RGBW



54
PERLA RGBW



55
PERLA RGBW
POWER IN



56
PERLA RGBW IN



57
MINI PERLA
RGBW



58
MINI PERLA
RGBW



59
MINI PERLA
RGBW



60
MINI PERLA
RGBW



61
MINI PERLA
RGBW IN



62
MINI PERLA
RGBW IN



63
MAGIC LINEA
RGBW



64
MAGIC LINEA IN
RGBW



65
PAR 56 RGBW
POWER



66
PAR 56 RGBW



67
PAR 56 RGBW
ECO



68
MAGIC SUB
RGBW



69
MAGIC SUB
RGBW



70
MAGIC SUB
IN RGBW



71
MAGIC SUB
IN RGBW



72
MAGIC SUB
IN RGBW



73
MAGIC SUB
IN RGBW



74
MINI SUB RGBW
SPECIAL



75
STW RGBW
POWER



76
STW RGBW

Swimming Pools - DMX



79
PERLA RGBW
POWER



80
PERLA RGBW
POWER



81
PERLA RGBW



82
PERLA RGBW



83
PERLA RGBW
POWER IN



84
PERLA RGBW IN



85
MINI PERLA
RGBW



86
MINI PERLA
RGBW



87
MINI PERLA
RGBW



88
MINI PERLA
RGBW



89
MINI PERLA
RGBW IN



90
MINI PERLA
RGBW IN



91
MICRO PERLA
RGBW



92
MICRO PERLA
RGBW



93
MICRO PERLA
RGBW



94
MICRO PERLA
RGBW



95
MICRO PERLA
RGBW IN



96
MICRO PERLA
RGBW IN



97
MAGIC LINEA
RGBW



98
MAGIC LINEA
RGBW IN



99
PAR 56 RGBW
POWER



100
PAR 56 RGBW



101
MAGIC SUB
RGBW



102
MAGIC SUB
RGBW



103
MAGIC SUB
RGBW



104
MAGIC SUB
RGBW



105
MAGIC SUB
RGBW IN



106
MAGIC SUB
RGBW IN



107
MINI SUB RGBW
SPECIAL



108
STW RGBW
POWER



109
STW RGBW

Fountains - FIX



113
PERLA FOUNTAIN
WHITE POWER



114
PERLA FOUNTAIN
WHITE



115
MINI PERLA
FOUNTAIN WHITE



116
PAR 56 FOUNTAIN
POWER



117
MINI FOUNTAIN



118
MINI SUB
FOUNTAIN



119
MINI SUB
FOUNTAIN IN

Fountains - OC



121
PERLA FOUNTAIN
RGBW POWER



122
PERLA FOUNTAIN
RGBW



123
MINI PERLA
FOUNTAIN RGBW



124
PAR 56 FOUNTAIN
RGBW POWER



125
PAR 56
FOUNTAIN RGBW



126
MINI FOUNTAIN
RGBW



127
MINI SUB
FOUNTAIN RGBW



128
MINI SUB FOUNTAIN
RGBW IN

Fountains - DMX



131
PERLA FOUNTAIN
RGBW POWER



132
PERLA FOUNTAIN
RGBW



133
MINI PERLA
FOUNTAIN RGBW



134
PAR 56 FOUNTAIN
RGBW POWER



135
PAR 56
FOUNTAIN RGBW



136
MINI FOUNTAIN
RGBW



137
MINI SUB
FOUNTAIN RGBW



138
MINI SUB FOUNTAIN
RGBW IN

Accessories



150
TRANSFORMER
IP 65



150
SPECIAL
CABLES



151
5-PIN IP68 JOINT



151
5-PIN "Y" IP68
JOINT



152
IP68
CONNECTORS



152
IP68 JOINTS KIT
FOR CABLE



153
WATERTIGHT
ISOLATION KIT



153
PROJECTOR EX
300 W



154
PROJECTOR EX
100 W



154
PROJECTOR EX
50 W



155
MINI SUB
PROJECTOR



155
PERLA NICHE



156
MAGIC LINEA
NICHE



156
WATERTIGHT MINI
PERLA NICHE



157
MINI PERLA
SMALL NICHE



157
WATERTIGHT MICRO
PERLA NICHE



158
MICRO PERLA
SMALL NICHE



158
MAGIC and MINI
SUB NICHE

Controllers



142
OC
TRANSMITTER



143
REMOTE
CONTROL



144
DMX BOX



144
REMOTE
CONTROL



145
SPLITTER DMX



145
DONGLE DLC
901



146
STICK KE2



146
STICK DE3



147
SUNLITE SLESA



147
STICK GU2



159
WALL ADAPTER



159
MAGIC LINEA
OPTICAL DIFFUSER



160
ROUND OPTICAL
DIFFUSERS



160
PAR 56 FLANGE



161
MINI FLANGES



161
MAGIC and MINI
SUB FLANGES



162
PERLA FLANGES



162
MAGIC LINEA
FLANGES



163
MINI PERLA
FLANGES



163
MICRO PERLA
FLANGES



164
BRACKET FOR
PAR 56 FONTANA



164
BRACKET FOR
MINI FONTANA



165
BRACKET FOR MINI
SUB FONTANA



Lights for Swimming Pools

Designing emotions with light in water.

Underwater lights enhance artificial or natural areas of water such as swimming pools and baths. Underwater lighting can really create scenes, design spaces, arouse emotions.

Coloured light amazes, relaxes, activates, envelops: thanks to static and dynamic colour changes every underwater space acquires a character which relates to the situation.



FIX

2 wires

LED lamps with 2-wire cable with fixed white colour (w) or blue (b), ideal for replacing old halogen lamps.



OC

2 wires

LED lamps that change colour using RGBW technology with 2-wire cable compatible with existing systems, controlled by a PLC system with which it is possible to set 13 fixed colours and 10 automatic sequences.



DMX

5 wires


LED lamps that change colour using RGBW technology with 5-wire cable controlled by a DMX system. Every lamp can be programmed individually so that the spaces can be divided into different zones, making it possible to create automatic sequences and infinite combinations colours.



FIX

W/B 2 wires

LED lamps with 2-wire cable fixed white colour (W) or blue (B), ideal for replacing old halogen lamps.






	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115342993	5300K	5770 lumen	120°	-
	2115342990	3000K	5000 lumen	120°	-
	2115342910	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115342993L	5300K	5770 lumen	120°	-
	2115342990L	3000K	5000 lumen	120°	-
	2115342910L	BLUE		120°	-

FIX

Perla Power with watertight niche


- 12 V AC
- MAX 9 m
- 55 W / 66 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- 25 - 30 m²

Fixed colour LED lamp for pool, ideal for large pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 LINER FLANGE
- 7 PLEXY SPACER
- 8 PANEL
- 9 POOL LINER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115344193	5300K	5770 lumen	120°	-
	2115344190	3000K	5000 lumen	120°	-
	2115344110	BLUE		120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE					
	2115344193L	5300K	5770 lumen	120°	-
	2115344190L	3000K	5000 lumen	120°	-
	2115344110L	BLUE		120°	-

FIX

Perla Power with watertight niche


- 12 V AC
- 9 m
- 55 W / 66 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- 25 - 30 m²

Fixed colour LED lamp for pool, ideal for large pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 LINER FLANGE
- 7 PLEXY SPACER
- 8 PANEL
- 9 POOL LINER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



POM-C FLANGE
Cod. TKRML2421
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112342993	5300K	4330 lumen	120°	-
	2112342990	3000K	3750 lumen	120°	-
	2112342910	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112342993L	5300K	4330 lumen	120°	-
	2112342990L	3000K	3750 lumen	120°	-
	2112342910L	BLUE		120°	-

FIX

Perla with watertight niche


- 12V AC
- MAX 11 m
- 48 W / 57 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- 20 - 25 m²

Fixed colour LED lamp for pool, ideal for medium size pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152









CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 2112344193	5300K	4330 lumen	120°	-
 2112344190	3000K	3750 lumen	120°	-
 2112344110	BLUE		120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE				
 2112344193L	5300K	4330 lumen	120°	-
 2112344190L	3000K	3750 lumen	120°	-
 2112344110L	BLUE		120°	-

FIX

Perla with watertight niche


-  12V AC
-  11 m
-  48 W / 57 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  20 - 25

Fixed colour LED lamp for pool, ideal for medium size pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



POM-C FLANGE
Cod. TKRML2421
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115343193	5300K	5000 lumen	120°	-
	2115343190	3000K	5000 lumen	120°	-
	2115343110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115343193L	5300K	5000 lumen	120°	-
	2115343190L	3000K	5000 lumen	120°	-
	2115343110L	BLUE		120°	-

FIX

Perla Power In with watertight niche


-  12 V AC
-  9 m
-  55 W / 66 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  25 - 30

Fixed colour LED lamp for pool, ideal for large pools. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112343193	5300K	4330 lumen	120°	-
	2112343190	3000K	3750 lumen	120°	-
	2112343110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112343193L	5300K	4330 lumen	120°	-
	2112343190L	3000K	3750 lumen	120°	-
	2112343110L	BLUE		120°	-

FIX

Perla In with watertight niche


- 12 V AC
- 11 m
- 48 W / 57 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- 20 - 25

Fixed colour LED lamp for pool, ideal for medium size pools. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2108340191	5300K	2795 lumen	120°	-
	2108340190	3000K	2510 lumen	120°	-
	2108340110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2108340191L	5300K	2795 lumen	120°	-
	2108340190L	3000K	2510 lumen	120°	-
	2108340110L	BLUE		120°	-

FIX new

Mini Perla with watertight niche


-  12 V AC
-  18 m
-  27 W / 36 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  15 - 20

Fixed colour LED lamp for pool, ideal for medium and small pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.












- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER



Technical drawing (mm)



Accessories

-  **100 VA IP65 TRANSF.**
Cod. 0316170011
€ -
p. 150
-  **300 VA IP65 TRANSF.**
Cod. 0321170011
€ -
p. 150
-  **STAINLESS STEEL FLANGE**
Cod. TKL230002098C
€ -
p. 163
-  **OPTICAL DIFFUSER**
Cod. TK230002102
€ -
p. 160
-  **CABLE 2X1.5**
Cod. 9003050012
€ -
p. 150
-  **LARGE IP68 KIT**
Cod. 1600010100
€ -
p. 152
-  **CONNECTOR M-F IP68**
Cod. 5300788705
€ -
p. 152
-  **WATERTIGHT NICHE**
Cod. 5521018700
€ -
p. 156
-  **NICHE SEAL KEY**
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2108830191	5300K	2795 lumen	120°	-
	2108830190	3000K	2510 lumen	120°	-
	2108830110	BLUE		120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2108830191L	5300K	2795 lumen	120°	-
	2108830190L	3000K	2510 lumen	120°	-
	2108830110L	BLUE		120°	-

FIX new

Mini Perla with watertight niche


-  12 V AC
-  18 m
-  27 W / 36 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  15 - 20

Fixed colour LED lamp for pool, ideal for medium and small pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.












- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories

- 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150
- 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150
- 
PVC FLANGE
Cod. TKRML2465
€ -
p. 163
- 
OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160
- 
CABLE 2X1.5
Cod. 9003050012
€ -
p. 150
- 
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152
- 
CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152
- 
WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156
- 
NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 2108344191	5300K	2795 lumen	120°	-
2108344190	3000K	2510 lumen	120°	-
2108344110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
 2108340191L	5300K	2795 lumen	120°	-
2108340190L	3000K	2510 lumen	120°	-
2108340110L	BLUE		120°	-

FIX new

Mini Perla

with wall adapter niche not watertight


-  12 V AC
-  18 m
-  27 W / 36 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Fixed colour LED lamp for pool, ideal for medium and small pools. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002098C
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



SMALL NICHE
Cod. 5521018600
€ -
p. 157




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE				
2108834191	5300K	2795 lumen	120°	-
2108834190	3000K	2510 lumen	120°	-
2108834110	BLUE		120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE				
2108830191L	5300K	2795 lumen	120°	-
2108830190L	3000K	2510 lumen	120°	-
2108830110L	BLUE		120°	-

FIX new

Mini Perla

with wall adapter niche not watertight


- 12 V AC
- MAX 18 m
- 27 W / 36 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- m² 15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Fixed colour LED lamp for pool, ideal for medium and small pools. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
| 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | PVC FLANGE
Cod. TKRML2465
€ -
p. 163 | OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 | SMALL NICHE
Cod. 5521018600
€ -
p. 157 | NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2108827391	5300K	2795 lumen	120°	-
	2108827390	3000K	2510 lumen	120°	-
	2108827310	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2108827391L	5300K	2795 lumen	120°	-
	2108827390L	3000K	2510 lumen	120°	-
	2108827310L	BLUE		120°	-

FIX **new**

Mini Perla In with watertight niche


-  12 V AC
-  18 m
-  27 W / 36 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  15 - 20

Fixed colour LED lamp for pool, ideal for medium and small pools. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.












- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories

- 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150
- 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150
- 
ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163
- 
OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160
- 
CABLE 2X1.5
Cod. 9003050012
€ -
p. 150
- 
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152
- 
CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152
- 
WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156
- 
NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2108824191	5300K	2795 lumen	120°	-
	2108824190	3000K	2510 lumen	120°	-
	2108824110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2108827391L	5300K	2795 lumen	120°	-
	2108827390L	3000K	2510 lumen	120°	-
	2108827310L	BLUE		120°	-

FIX new

Mini Perla In

with wall adapter niche not watertight


-  12 V AC
-  18 m
-  27 W / 36 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET

Fixed colour LED lamp for pool, ideal for medium and small pools. Niche included with small dimensions. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- 

100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150
- 

300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150
- 

ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163
- 

OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160
- 

CABLE 2X1.5
Cod. 9003050012
€ -
p. 150
- 

SMALL NICHE
Cod. 5521018600
€ -
p. 157




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2101340191	5300K	286 lumen	120°	-
	2101340190	3000K	256 lumen	120°	-
	2101340110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2101340191L	5300K	286 lumen	120°	-
	2101340190L	3000K	256 lumen	120°	-
	2101340110L	BLUE		120°	-

FIX new

Micro Perla with watertight niche


-  12 V AC
-  35 m
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  UP TO 5 m²

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 GASKET
- 5 PANEL
- 6 POOL LINER
- 7 STAINLESS STEEL SPACER
- 8 PLEXY SPACER

Technical drawing (mm)



Accessories

- 
100 VA IP65 TRANSF.
 Cod. 0316170011
 € -
 p. 150
- 
300 VA IP65 TRANSF.
 Cod. 0321170011
 € -
 p. 150
- 
STAINLESS STEEL FLANGE
 Cod. 230002114C
 € -
 p. 163
- 
CABLE 2 X 0.75
 Cod. 9003030012
 € -
 p. 150
- 
SMALL IP68 KIT
 Cod. 1600020100
 € -
 p. 152
- 
CONNECTOR M-F IP68
 Cod. 5300780000
 € -
 p. 152
- 
WATERTIGHT NICHE
 Cod. 5521008700
 € -
 p. 157



NICHE SEAL KEY
 Cod. 230002095
 € -
 p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2101830191	5300K	286 lumen	120°	-
	2101830190	3000K	256 lumen	120°	-
	2101830110	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2101830191L	5300K	286 lumen	120°	-
	2101830190L	3000K	256 lumen	120°	-
	2101830110L	BLUE		120°	-

FIX new

Micro Perla with watertight niche


- 12 V AC
- C_{MAX} 35 m
- 6 W / 10 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- UP TO 5 m²

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 GASKET
- 5 PANEL
- 6 POOL LINER
- 7 STAINLESS STEEL SPACER
- 8 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2467
€ -
p. 163



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152



WATERTIGHT NICHE
Cod. 5521008700
€ -
p. 157



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
2101341291	5300K	286 lumen	120°	-
2101341290	3000K	256 lumen	120°	-
2101341210	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
2101340191L	5300K	286 lumen	120°	-
2101340190L	3000K	256 lumen	120°	-
2101340110L	BLUE		120°	-


FIX new

Micro Perla


with wall adapter niche not watertight

- 12 V AC C_{MAX} 35 m 6 W / 10 VA
- CL III AISI 316L STEEL GLASS
- IP 68 m² UP TO 5

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.



Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. 230002114C
€ -
p. 163





CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 2101831291	5300K	286 lumen	120°	-
2101831290	3000K	256 lumen	120°	-
2101831210	BLUE		120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE				
 2101830191L	5300K	286 lumen	120°	-
2101830190L	3000K	256 lumen	120°	-
2101830110L	BLUE		120°	-


FIX new

Micro Perla


with wall adapter niche not watertight

-  12V AC
-  35 m
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  UP TO 5

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.



Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2467
€ -
p. 163



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158



	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2101827391	5300K	286 lumen	120°	-
	2101827390	3000K	256 lumen	120°	-
	2101827310	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2101827391L	5300K	286 lumen	120°	-
	2101827390L	3000K	256 lumen	120°	-
	2101827310L	BLUE		120°	-


FIX

new

Micro Perla In with watertight niche


-  12 V AC
-  35 m
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  UP TO 5 m²

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 STAINLESS STEEL SPACER
- 5 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL23002113C
€ -
p. 163



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152



WATERTIGHT NICHE
Cod. 5521008700
€ -
p. 157



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156



	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2101821291	5300K	286 lumen	120°	-
	2101821290	3000K	256 lumen	120°	-
	2101821210	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2101827391L	5300K	286 lumen	120°	-
	2101827390L	3000K	256 lumen	120°	-
	2101827310L	BLUE		120°	-


FIX new

Micro Perla In


with wall adapter niche not watertight

-  12 V AC
-  35 m
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  UP TO 5 m²

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Niche included with small dimensions. For recess installation in reinforced concrete with tiles or pool liner.



Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL23002113C
€ -
p. 163



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2111001293	5300K	4060 lumen	120°	-
	2111001290	3000K	3680 lumen	120°	-
	2111001210	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2111001293L	5300K	4060 lumen	120°	-
	2111001290L	3000K	3680 lumen	120°	-
	2111001210L	BLUE		120°	-

FIX

Magic Linea


- 12 V AC 14 m 42 W / 56 VA
- CL III AISI 316L STEEL GLASS
- IP 68 20 - 25 m²

Fixed colour LED lamp for pool, ideal for medium size pools. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING
- 7 PANEL
- 8 POOL LINER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002051C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2339
€ -
p. 159



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



MAGIC LINEA NICHE
Cod. 5500004502
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
2111811293	5300K	4060 lumen	120°	-
2111811290	3000K	3680 lumen	120°	-
2111811210	BLUE		120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
2111811293L	5300K	4060 lumen	120°	-
2111811290L	3000K	3680 lumen	120°	-
2111811210L	BLUE		120°	-

FIX

Magic Linea In


- 12 V AC 14 m 42 W / 56 VA
- CL III AISI 316L STEEL GLASS
- IP 68 20 - 25

Fixed colour LED lamp for pool, ideal for medium size pools. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



OPTICAL DIFFUSER
Cod. TKRVT2339
€ -
p. 159



STAINLESS STEEL FLANGE
Cod. TKL230002053C
€ -
p. 162



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



MAGIC LINEA NICHE
Cod. 5500004502
€ -
p. 156




FIX

Par 56 Power

- 12 V AC C_{MAX} 30 m 54 W / 70 VA
- CL III AISI 316L STEEL GLASS
- IP 68 25 - 30 300 W


Fixed colour LED lamp for pool, ideal for large pools. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.

	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITHOUT CABLE					
	4511671202	5300K	5160 lumen	120°	-
	4511671290	3000K	4520 lumen	120°	-
LAMP WITH 4m of CABLE					
	4511672402	5300K	5160 lumen	120°	-
	4512672490	3000K	4520 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	4511672502	5300K	5160 lumen	120°	-
	4511672590	3000K	4520 lumen	120°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160



CABLE 2 X 6
Cod. 9003120012
€ -
p. 150



ISOLATION KIT
Cod. 4000370520
€ -
p. 153



IP68 JOINT
Cod. 5395000000
€ -
p. 151



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160



PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153




FIX

Par 56

- 12 V AC
- MAX 58 m
- 36 W / 45 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- 20 - 25 m²
- 300 W


Fixed colour LED lamp for pool, ideal for medium size pools. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.

Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITHOUT CABLE				
4509171202	5300K	4060 lumen	120°	-
4511171290	3000K	3680 lumen	120°	-
4609171210	BLUE		120°	-
LAMP WITH 4m of CABLE				
4509172402	5300K	4060 lumen	120°	-
4509172490	3000K	3680 lumen	120°	-
4609172410	BLUE		120°	-
LAMP WITH NICHE and 4m of CABLE				
4509172502	5300K	4060 lumen	120°	-
4509172590	3000K	3680 lumen	120°	-
4609172510	BLUE		120°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories

- 100 VA IP65 TRANSF.**
Cod. 0316170011
€ -
p. 150
- 300 VA IP65 TRANSF.**
Cod. 0321170011
€ -
p. 150
- ST. STEEL FLANGE**
Cod. 48043723 31
€ -
p. 160
- ISOLATION KIT**
Cod. 4000370520
€ -
p. 153
- CABLE 2 X 6**
Cod. 9003120012
€ -
p. 150
- IP68 JOINT**
Cod. 5395000000
€ -
p. 151
- LARGE IP68 KIT**
Cod. 1600010100
€ -
p. 152
- OPTICAL DIFFUSER**
Cod. TKRVT2329
€ -
p. 160
- PROJECTOR EX 300 W**
Cod. 0070000009
€ -
p. 153




FIX

Par 56 Eco




LED lamp for pool with fixed colour, ideal for medium and small pools. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.

	Cod.	Colore LED	Flusso Luminoso	Apertura Fascio	€
LAMP WITHOUT CABLE					
	4503171602	5300K	2840 lumen	120°	-
	4503171690	3000K	2750 lumen	120°	-
LAMP WITH 4m of CABLE					
	4503172402	5300K	2840 lumen	120°	-
	4503172490	3000K	2750 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	4503172502	5300K	2840 lumen	120°	-
	4503172590	3000K	2750 lumen	120°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 Transf.
Cod. 0316170011
€ -
p. 150



300 VA IP65 Transf.
Cod. 0321170011
€ -
p. 150



ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160



ISOLATION KIT
Cod. 4000370520
€ -
p. 153



CABLE 2 X 6
Cod. 9003120012
€ -
p. 150



IP68 JOINT
Cod. 5395000000
€ -
p. 151



LARGE IP68 kit
Cod. 1600010100
€ -
p. 152



OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160



PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
7904794700	5300K	790 lumen	16°	-
7904794900	5300K	790 lumen	95°	-
7904794790	3000K	690 lumen	16°	-
7904794990	3000K	690 lumen	95°	-
7904794710	BLUE		16°	-
7904794910	BLUE		95°	-

FIX

Magic Sub


- 12 V AC C_{MAX} 36 m 10 W / 15 VA
- CL III AISI 316L STEEL GLASS
- IP 68 5 - 10

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1 WALL ADAPTER
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




Cod.	Colore LED	Flusso Luminoso	Apertura Fascio	€
LAMP WITH PVC FLANGE, INLET, DIFFUSER and 4m of CABLE				
7904834700	5300K	790 lumen	16°	-
7904834900	5300K	790 lumen	95°	-
7904834790	3000K	690 lumen	16°	-
7904834990	3000K	690 lumen	95°	-
7904834710	BLUE		16°	-
7904834910	BLUE		95°	-

FIX

Magic Sub with PVC flange




Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1 WALL ADAPTER
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 Transf.
Cod. 0316170011
€ -
p. 150



300 VA IP65 Transf.
Cod. 0321170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2469
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155






FIX

Magic Sub with niche

- 12 V AC C_{MAX} 36 m 10 W / 15 VA
- CL III AISI 316L STEEL GLASS
- IP 68 5 - 10


Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 7904797391	5300K	790 lumen	16°	-
7904340191	5300K	790 lumen	95°	-
7904797390	3000K	690 lumen	16°	-
7903797390	3000K	690 lumen	95°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
 7904797391L	5300K	790 lumen	16°	-
7904340191L	5300K	790 lumen	95°	-
7904797390L	3000K	690 lumen	16°	-
7903797390L	3000K	690 lumen	95°	-












- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 PANEL
- 7 POOL LINER
- 8 STAINLESS STEEL SPACER
- 9 PLEXY SPACER

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|---|---|---|---|--|--|
| 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 
STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161 | 
OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160 | 
CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150 | 
SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152 | 
CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152 |
| 
MINI SUB NICHE
Cod. 5596000000
€ -
p. 158 | 
NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 | | | | | |




FIX

Magic Sub with niche and PVC flange

- 12 V AC
- MAX 36 m
- 10 W / 15 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- m² 5 - 10


Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE				
7904347391	5300K	790 lumen	16°	-
7903347391	5300K	790 lumen	95°	-
7904347390	3000K	690 lumen	16°	-
7903347390	3000K	690 lumen	95°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE				
7904347391L	5300K	790 lumen	16°	-
7903347391L	5300K	790 lumen	95°	-
7904347390L	3000K	690 lumen	16°	-
7903347390L	3000K	690 lumen	95°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 PANEL
- 7 POOL LINER
- 8 STAINLESS STEEL SPACER
- 9 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2469
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152



MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
7904793102	5300K	790 lumen	16°	-
7904793100	5300K	790 lumen	95°	-
7903793190	3000K	690 lumen	16°	-
7904793190	3000K	690 lumen	95°	-
7903793110	BLUE		16°	-
7904793110	BLUE		95°	-

FIX

Magic Sub In


- 12V AC C_{MAX} 34 m 10 W / 15 VA
- CL III AISI 316L STEEL GLASS
- IP 68 5 - 10

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. Inlet provided for installation in restricted spaces. For recess installation in reinforced concrete with tiles or pool liner.



- 1 WALL ADAPTER
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



INLET FITTING
Cod. 0210000018
€ -
p. 155



WALL ADAPTER
Cod. 0330080017
€ -
p. 159




FIX

Magic Sub In with niche

- 12 V AC MAX 36 m 10 W / 15 VA
- CL III AISI 316L STEEL GLASS
- IP 68 5 - 10


Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 7903797391	5300K	790 lumen	16°	-
7902797391	5300K	790 lumen	95°	-
7902797390	3000K	690 lumen	16°	-
7903567390	3000K	690 lumen	95°	-
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 7903797391L	5300K	790 lumen	16°	-
7902797391L	5300K	790 lumen	95°	-
7902797390L	3000K	690 lumen	16°	-
7903567390L	3000K	690 lumen	95°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 STAINLESS STEEL SPACER
- 7 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152





MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
SPECIAL VERSION OF LAMP WITH 4m of CABLE				
 7904674902	5300K	790 lumen	95°	-
7904674990	3000K	690 lumen	95°	-
7904684910	BLUE		95°	-
SPECIAL VERSION LAMP WITH NICHE and 4m of CABLE				
 7903562591	5300K	790 lumen	95°	-
7903562590	3000K	690 lumen	95°	-
7903562510	BLUE		95°	-

FIX

Mini Sub Special


-  12 V AC
-  ^CMAX 34 m
-  10 W / 15 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  5 - 10 m²
-  50 W

Fixed colour LED lamp for pool, ideal for small pools, jacuzzi areas and steps. The dimensions and accessories provided make it possible to install as a replacement for traditional 50 W lamps in Astral and Pools projectors.



-  1 NICHE
-  2 LAMP
-  3 FRONT FLANGE
-  4 THREADED LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150




SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



NICHE
Cod. 0340134009
€ -
p. 154




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
 7413784100	5300K	5160 lumen	120°	-
7413784190	3000K	4520 lumen	120°	-

FIX

Stw Power


-  12 V AC
-  ^CMAX 8 m
-  54 W / 70 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  25 - 30
-  300 W

Fixed colour LED lamp for pool, ideal for large pools. The dimensions and the flange provided make it possible to install as a replacement for Par 56 300 W halogen lamps in the Wibre projector.



- 1** WIBRE NICHE
- 2** LAMP
- 3** FRONT FLANGE
- 4** OPTICAL DIFFUSER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150




OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	7411784100	5300K	4060 lumen	120°	-
	7411784190	3000K	3680 lumen	120°	-

FIX

Stw


-  12 V AC
-  C_{MAX} 14 m
-  36 W / 45 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  20 - 25 m²
-  300 W

Fixed colour LED lamp for pool, ideal for medium size pools. The dimensions and the flange provided make it possible to install as a replacement for Par 56 300 W halogen lamps in the Wibre projector.



- 1 WIBRE NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 OPTICAL DIFFUSER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160




LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



RGBW 2 wires

Colour changing LED lamps with RGBW technology, 2-wire cable compatible with existing systems

and PLC control by which 13 fixed colours and 10 automatic sequences can be set.






	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115512994	RGBW	3200 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115512994L	RGBW	3200 lumen	120°	-



Perla RGBW Power with watertight niche


-  12 V AC
-  8 m
-  63 W / 79 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  25 - 30 m²

LED pool lamp with RGBW variable colour, ideal for large pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 STAINLESS STEEL SPACER
- 7 PLEXY SPACER

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152





CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 2115344094	RGBW	3200 lumen	120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE				
 2115344094L	RGBW	3200 lumen	120°	-



Perla RGBW Power with watertight niche


-  12V AC
-  8 m
-  63 W / 79 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  25 - 30 m²

LED pool lamp with RGBW variable colour, ideal for large pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1** NICHE
- 2** LAMP
- 3** OPTICAL DIFFUSER
- 4** FRONT FLANGE
- 5** GASKET
- 6** STAINLESS STEEL SPACER
- 7** PLEXY SPACER

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



POM-C FLANGE
Cod. TKRML2421
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152




CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112512994	RGBW	2170 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112512994L	RGBW	2170 lumen	120°	-



Perla RGBW with watertight niche


-  12 V AC
-  11 m
-  48 W / 60 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  20 - 25



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112344094	RGBW	2170 lumen	120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE					
	2112344094L	RGBW	2170 lumen	120°	-



Perla RGBW with watertight niche


- 12 V AC
- 11 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC
- 20 - 25



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|---|--|--|--|--|--|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | POM-C FLANGE
Cod. TKRML2421
€ -
p. 162 | OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 |
| | | | | | | |
| LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115513194	RGBW	3200 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115513194L	RGBW	3200 lumen	120°	-



Perla RGBW Power In with watertight niche


- 12 V AC
- 8 m
- 63 W / 79 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC
- 25 - 30



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for large pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162 | OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 |
| | | | | | | |
| LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112513194	RGBW	2170 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112513194L	RGBW	2170 lumen	120°	-



Perla RGBW In with watertight niche


- 12 V AC
- MAX 11 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC
- 20 - 25 m²



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|---|--|--|--|--|--|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162 | OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 |
| | | | | | | |
| LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112340194	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112340194L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW with watertight niche


-  12 V AC
-  10 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  RGBW
-  PLC
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002098C
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152





WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2113830194	RGBW	1130 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2113830194L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW with watertight niche


-  12 V AC
-  10 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  RGBW
-  PLC
-  15 - 20














- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | | |
|--|---|--|--|---|--|--|--|
| 
OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | 
OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 
PVC FLANGE
Cod. TKRML2465
€ -
p. 163 | 
OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | 
CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 | |
| 
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | 
CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | 
WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156 | 
NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 | | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112345900	RGBW	1130 lumen	120°	-
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112345900L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW with wall adapter niche not watertight


- 12 V AC
- MAX 10 m
- 22 W / 28 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 67
- RGBW
- PLC
- 15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 POOL LINER

LED pool lamp with RGBW variable colour, ideal for small and medium pools. PLC controlled. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.



Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | STAINLESS STEEL FLANGE
Cod. TKL230002098C
€ -
p. 163 | OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | SMALL NICHE
Cod. 5521018600
€ -
p. 157 |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112835900	RGBW	1130 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2112835900L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW with wall adapter niche not watertight


-  12 V AC
-  10 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  RGBW
-  PLC
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 POOL LINER

LED pool lamp with RGBW variable colour, ideal for small and medium pools. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2465
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



SMALL NICHE
Cod. 5521018600
€ -
p. 157




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2111827394	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2111827394L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW In with watertight niche


- 12 V AC
- 10 m
- 22 W / 28 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 67
- RGBW
- PLC
- 15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small and medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163 | OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 |
| | | | | | | |
| LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156 | NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112825994	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2111827394L	RGBW	1130 lumen	120°	-

OC new

Mini Perla RGBW In with wall adapter niche not watertight


- 12 V AC
- MAX 10 m
- 22 W / 28 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 67
- RGBW
- PLC
- 15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET

LED pool lamp with RGBW variable colour, ideal for small and medium pools. PLC controlled. Niche included with small dimensions. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163 | OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | SMALL NICHE
Cod. 5521018600
€ -
p. 157 |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112001294	RGBW	1990 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112001294L	RGBW	1990 lumen	120°	-



Magic Linea RGBW


-  12V AC
-  11 m
-  45W / 61 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  20 - 25

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING
- 7 PANEL
- 8 POOL LINER

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. TKL230002051C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2339
€ -
p. 159



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152



MAGIC LINEA NICHE
Cod. 5500004502
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112811294	RGBW	1990 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112811294L	RGBW	1990 lumen	120°	-



Magic Line In RGBW


- 12V AC
- MAX 11 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC
- 20 - 25 m²

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING




Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | STAINLESS STEEL FLANGE
Cod. TKL230002053C
€ -
p. 162 | OPTICAL DIFFUSER
Cod. TKRVT2339
€ -
p. 159 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 |
| | | | | | | |
| LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788705
€ -
p. 152 | MAGIC LINEA NICHE
Cod. 5500004502
€ -
p. 156 | | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITHOUT CABLE					
	4313173400	RGBW	2970 lumen	120°	-
LAMP WITH 4m of CABLE					
	4313172400	RGBW	2970 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	4313482500	RGBW	2970 lumen	120°	-

OC

Par 56 RGBW Power


-  12 V AC
-  30 m
-  69 W / 87 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  25 - 30 m²
-  300 W

LED pool lamp with RGBW variable colour, ideal for large pools. PLC controlled. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.














- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|---|--|--|---|--|--|
| 
OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | 
OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160 | 
OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160 | 
ISOLATION KIT
Cod. 4000370520
€ -
p. 153 |
| 
IP68 JOINT
Cod. 5395000000
€ -
p. 151 | 
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | 
CABLE 2 X 6
Cod. 9003120012
€ -
p. 150 | 
PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153 | | | |




Par 56 RGBW

- 12 V AC 45 m 45 W / 61 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC
- 20 - 25 300 W


LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.

	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITHOUT CABLE					
	4311175900	RGBW	1990 lumen	120°	-
LAMP WITH 4m of CABLE					
	4311172400	RGBW	1990 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	4311172500	RGBW	1990 lumen	120°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|---|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160 | OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160 | ISOLATION KIT
Cod. 4000370520
€ -
p. 153 |
| | | | | | | |
| IP68 JOINT
Cod. 5395000000
€ -
p. 151 | LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CABLE 2 X 6
Cod. 9003120012
€ -
p. 150 | PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153 | | | |




OC

Par 56 RGBW Eco

- 12 V AC 82 m 23 W / 36 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC
- 15 - 20 300 W


LED pool lamp with RGBW variable colour, ideal for small and medium pools. PLC controlled. The standard PAR 56 dimension makes it possible to install as a replacement for traditional 300 W halogen lamps.

	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITHOUT CABLE					
	4306175900	RGBW	990 lumen	120°	-
LAMP WITH 4m of CABLE					
	4306172400	RGBW	990 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	4306172500	RGBW	990 lumen	120°	-



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING


Technical drawing (mm)



Accessories

OC TRANSM. WITH R. C. Cod. 4493000000 € - p. 142	300 VA IP65 TRANSF. Cod. 0321170011 € - p. 150	OC TRANSM. WITH BUT. Cod. 4493000064 € - p. 142	100 VA IP65 TRANSF. Cod. 0316170011 € - p. 150	ST. STEEL FLANGE Cod. 48043723 31 € - p. 160	OPTICAL DIFFUSER Cod. TKRVT2329 € - p. 160	ISOLATION KIT Cod. 4000370520 € - p. 153
IP68 JOINT Cod. 5395000000 € - p. 151	LARGE IP68 KIT Cod. 1600010100 € - p. 152	CABLE 2 X 6 Cod. 9003120012 € - p. 150	PROJECTOR EX 300 W Cod. 0070000009 € - p. 153			




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
 7905794794	RGBW	432 lumen	16°	-
7905794994	RGBW	432 lumen	95°	-

OC

Magic Sub RGBW


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1** WALL ADAPTER
- 2** LAMP
- 3** OPTICAL DIFFUSER
- 4** FRONT FLANGE
- 5** GASKET
- 6** INLET FITTING

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




Cod.	Colore LED	Flusso Luminoso	Apertura Fascio	€
LAMP WITH PVC FLANGE, INLET, DIFFUSER and 4m of CABLE				
7905834794	RGBW	432 lumen	16°	-
7905834994	RGBW	432 lumen	95°	-

OC

Magic Sub RGBW with PVC flange


- 12 V AC C_{MAX} 20 m 17 W / 23 VA
- CL III IP 68 RGBW 5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1 WALL ADAPTER
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 INLET FITTING

Technical drawing (mm)



Accessories



OC transm. with R. C.
Cod. 4493000000
€ -
p. 142



OC Transm. with But.
Cod. 4493000064
€ -
p. 142



300 VA IP65 Transf.
Cod. 0321170011
€ -
p. 150



100 VA IP65 Transf.
Cod. 0316170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2469
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7905797394	RGBW	432 lumen	16°	-
	7905340194	RGBW	432 lumen	95°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	7905797394L	RGBW	432 lumen	16°	-
	7905340194L	RGBW	432 lumen	95°	-

OC new

Magic Sub RGBW with watertight niche


- 12 V AC
- MAX 20 m
- 17 W / 23 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC
- 5 - 10



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 PANEL
- 7 POOL LINER
- 8 STAINLESS STEEL SPACER
- 9 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.





Technical drawing (mm)



Accessories

- | | | | | | | |
|--|---|--|--|--|--|---|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161 | OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160 | CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150 |
| | | | | | | |
| SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152 | MINI SUB NICHE
Cod. 5596000000
€ -
p. 158 | NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7904387394	RGBW	432 lumen	16°	-
	7904657394	RGBW	432 lumen	95°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	7904387394L	RGBW	432 lumen	16°	-
	7904657394L	RGBW	432 lumen	95°	-

OC new

Magic Sub RGBW with watertight niche


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  5 - 10



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 PANEL
- 7 POOL LINER
- 8 STAINLESS STEEL SPACER
- 9 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



PVC FLANGE
Cod. TKRML2469
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152





MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
 7906793194	RGBW	432 lumen	16°	-
 7905793194	RGBW	432 lumen	95°	-

OC

Magic Sub RGBW In


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. Inlet provided for installation in restricted spaces. For recess installation in reinforced concrete with tiles or pool liner.



- 1** WALL ADAPTER
- 2** LAMP
- 3** OPTICAL DIFFUSER
- 4** FRONT FLANGE
- 5** GASKET
- 6** INLET FITTING

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150







WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7906797394	RGBW	432 lumen	16°	-
	7904797394	RGBW	432 lumen	95°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	7906797394L	RGBW	432 lumen	95°	-
	7904797394L	RGBW	432 lumen	95°	-

OC new

Magic Sub RGBW In with watertight niche


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  5 - 10



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 STAINLESS STEEL SPACER
- 7 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152






MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
SPECIAL VERSION OF LAMP WITH 4m of CABLE					
	7904654794	RGBW	432 lumen	16°	-
	7904654994	RGBW	432 lumen	95°	-
SPECIAL VERSION LAMP WITH NICHE and 4m of CABLE					
	7904652594	RGBW	432 lumen	95°	-

OC

Mini Sub RGBW Special


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  5 - 10
-  50 W

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. PLC controlled. The dimensions and accessories provided make it possible to install as a replacement for traditional 50 W lamps in Astral and Pools projectors.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 THREADED LAMP HOLDER RING

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152 | CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150 | NICHE
Cod. 0340134009
€ -
p. 154 |



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				




7414786494	RGBW	1990 lumen	120°	-
------------	------	------------	------	---

OC new

Stw RGBW Power


- 12 V AC 7 m 69 W / 87 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC
- 25 - 30 300 W

LED pool lamp with RGBW variable colour, ideal for large pools. PLC controlled. The dimensions and the flange provided make it possible to install as a replacement for 300W Par 56 halogen lamps in a Wibre projector.



- 1 WIBRE NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 OPTICAL DIFFUSER

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160




LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
 7413786494	RGBW	1990 lumen	120°	-

OC

Stw RGBW


-  12V AC
-  11 m
-  45 W / 61 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC
-  20 - 25 m²
-  300 W

LED pool lamp with RGBW variable colour, ideal for medium pools. PLC controlled. The dimensions and the flange provided make it possible to install as a replacement for 300W Par 56 halogen lamps in a Wibre projector.



- 1** WIBRE NICHE
- 2** LAMP
- 3** FRONT FLANGE
- 4** OPTICAL DIFFUSER

Technical drawing (mm)



Accessories



OC TRANS. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANS. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150




DMX

RGBW 5 wires

Colour changing LED lamps with RGBW technology, 5-wire cable controlled by a DMX system. Each lamp can be programmed individ-

ually making it possible to divide spaces into different zones and create automatic sequences and infinite colour combinations.






	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115342994	RGBW	3200 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115342994L	RGBW	3200 lumen	120°	-



Perla RGBW Power with watertight niche


- 12 V AC
- 5 m
- 63 W / 79 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 25 - 30



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 LINER FLANGE
- 7 PLEXY SPACER
- 8 PANEL
- 9 POOL LINER

LED pool lamp with RGBW variable colour, ideal for large pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
|
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 |
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
DMX BOX
Cod. 33161801
€ -
p. 144 |
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 |
STICK KE2
Cod. 29091306
€ -
p. 146 |
STICK DE3
Cod. 29090306
€ -
p. 146 |
STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162 |
|
OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 |
CABLE 5 X 1
Cod. 9012040012
€ -
p. 150 |
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 |
CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152 |
PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115346694	RGBW	3200 lumen	120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE					
	2115346694L	RGBW	3200 lumen	120°	-



Perla RGBW Power with watertight niche


- 12 V AC
- 5 m
- 63 W / 79 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 25 - 30



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 LINER FLANGE
- 7 PLEXY SPACER
- 8 PANEL
- 9 POOL LINER

LED pool lamp with RGBW variable colour, ideal for large pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
| | | | | | | |
| 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | DMX BOX
Cod. 33161801
€ -
p. 144 | R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | STICK KE2
Cod. 29091306
€ -
p. 146 | STICK DE3
Cod. 29090306
€ -
p. 146 | POM-C FLANGE
Cod. TKRML2421
€ -
p. 162 |
| | | | | | | |
| OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 5 X 1
Cod. 9012040012
€ -
p. 150 | LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112342994	RGBW	2170 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112342994L	RGBW	2170 lumen	120°	-



Perla RGBW with watertight niche


- 12 V AC
- 7 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL230002071C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 5 X 1
Cod. 9012040012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH POM-C FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112346694	RGBW	2170 lumen	120°	-
LAMP WITH POM-C FLANGE, DIFFUSER and 4m of CABLE					
	2112346694L	RGBW	2170 lumen	120°	-



Perla RGBW with watertight niche


- 12 V AC
- 7 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
| | | | | | | |
| 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | DMX BOX
Cod. 33161801
€ -
p. 144 | R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | STICK KE2
Cod. 29091306
€ -
p. 146 | STICK DE3
Cod. 29090306
€ -
p. 146 | POM-C FLANGE
Cod. TKRML2421
€ -
p. 162 |
| | | | | | | |
| OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 5 X 1
Cod. 9012040012
€ -
p. 150 | LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2116343194	RGBW	3200 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2116343194L	RGBW	3200 lumen	120°	-



Perla RGBW Power In


- 12 V AC
- 5 m
- 63 W / 79 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 25 - 30 m²

LED pool lamp with RGBW variable colour, ideal for large pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
| | | | | | | |
| 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | DMX BOX
Cod. 33161801
€ -
p. 144 | R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | STICK KE2
Cod. 29091306
€ -
p. 146 | STICK DE3
Cod. 29090306
€ -
p. 146 | STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162 |
| | | | | | | |
| OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160 | CABLE 5 X 1
Cod. 9012040012
€ -
p. 150 | LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152 | PERLA NICHE
Cod. 5500008702
€ -
p. 155 | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2115343194	RGBW	2170 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2115343194L	RGBW	2170 lumen	120°	-



Perla RGBW In


- 12 V AC
- MAX 7 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25 m²



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL230002074C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2345
€ -
p. 160



CABLE 5 X 1
Cod. 9012040012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152




CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



PERLA NICHE
Cod. 5500008702
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112230194	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112230194L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW with watertight niche


-  12 V AC
-  6 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  DMX 512
-  RGBW
-  15 - 20 m²



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL230002098C
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152





WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112830194	RGBW	1130 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2112830194L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW with watertight niche


-  12 V AC
-  6 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  DMX 512
-  RGBW
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



PVC FLANGE
Cod. TKRML2465
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152




WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112230294	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112230194L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW with wall adapter niche not watertight


-  12 V AC
-  6 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  DMX 512
-  RGBW
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 POOL LINER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. Controlled by DMX 512 signal. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL230002098C
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160





CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521018600
€ -
p. 157




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112830294	RGBW	1130 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2112830194L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW with wall adapter niche not watertight


-  12 V AC
-  6 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  DMX 512
-  RGBW
-  15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 POOL LINER

LED pool lamp with RGBW variable colour , ideal for small and medium pools. Controlled by DMX 512 signal. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



PVC FLANGE
Cod. TKRML2465
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160




CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521018600
€ -
p. 157




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112827394	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112827394L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW In with watertight niche


-  12 V AC
-  6 m
-  22 W / 28 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 67
-  DMX 512
-  RGBW
-  15 - 20












- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 STAINLESS STEEL SPACER
- 6 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small and medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|---|--|--|---|---|---|
| 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | 
DMX BOX
Cod. 33161801
€ -
p. 144 | 
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | 
STICK KE2
Cod. 29091306
€ -
p. 146 | 
STICK DE3
Cod. 29090306
€ -
p. 146 | 
ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163 |
| 
OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160 | 
CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150 | 
LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152 | 
CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152 | 
WATERTIGHT NICHE
Cod. 5521018700
€ -
p. 156 | 
NICHE SEAL KEY
Cod. 230002095
€ -
p. 156 | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2112820294	RGBW	1130 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2112827394L	RGBW	1130 lumen	120°	-

DMX new

Mini Perla RGBW In with wall adapter niche not watertight


- 12 V AC
- 6 m
- 22 W / 28 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 67
- DMX 512
- RGBW
- 15 - 20



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET

LED pool lamp with RGBW variable colour, ideal for small and medium pools. Controlled by DMX 512 signal. Niche included with small dimensions. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



ST. STEEL FLANGE
Cod. TKL230002099C
€ -
p. 163



OPTICAL DIFFUSER
Cod. TK230002102
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521018600
€ -
p. 157




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103230194	RGBW	353 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2103230194L	RGBW	353 lumen	120°	-

DMX new

Micro Perla RGBW with watertight niche


- 12 V AC
- 13 metri
- 6 W / 10 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- UP TO 5 m²



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 GASKET
- 5 PANEL
- 6 POOL LINER
- 7 STAINLESS STEEL SPACER
- 8 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. 230002114C
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



WATERTIGHT NICHE
Cod. 5521008700
€ -
p. 157



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103830194	RGBW	353 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2103830194L	RGBW	353 lumen	120°	-

DMX new

Micro Perla RGBW with watertight niche


- 12 V AC
- 13 metri
- 6 W / 10 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- UP TO 5 m²



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 GASKET
- 5 PANEL
- 6 POOL LINER
- 7 STAINLESS STEEL SPACER
- 8 PLEXY SPACER

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



PVC FLANGE
Cod. TKRML2467
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



WATERTIGHT NICHE
Cod. 5521008700
€ -
p. 157



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103230294	RGBW	353 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2103230194L	RGBW	353 lumen	120°	-

DMX new


Micro Perla RGBW with wall adapter niche not watertight

- 12 V AC
- C_{MAX} 13 metri
- 6 W / 10 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- UP TO 5 m²



LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. 230002114C
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103830294	RGBW	353 lumen	120°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	2103830194L	RGBW	353 lumen	120°	-

DMX new


Micro Perla RGBW with wall adapter niche not watertight

- 12 V AC
- 13 metri
- 6 W / 10 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- UP TO 5



LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Niche included with small dimensions. For panel and reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



PVC FLANGE
Cod. TKRML2467
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103827394	RGBW	353 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2103827394L	RGBW	353 lumen	120°	-

DMX new

Micro Perla RGBW In with watertight niche


-  12 V AC
-  13 metri
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  UP TO 5

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 GASKET
- 5 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL23002113C
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



WATERTIGHT NICHE
Cod. 5521008700
€ -
p. 157



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	2103820294	RGBW	353 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	2103827394L	RGBW	353 lumen	120°	-

DMX new


Micro Perla RGBW In with wall adapter niche not watertight

-  12 V AC
-  13 metri
-  6 W / 10 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  UP TO 5 m²



LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Niche included with small dimensions. For recess installation in reinforced concrete with tiles or pool liner.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL23002113C
€ -
p. 163



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL NICHE
Cod. 5521008600
€ -
p. 158



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				

	2112661294	RGBW	1896 lumen	120°	-
---	-------------------	------	------------	------	---

LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
---	--	--	--	--


	2112661294L	RGBW	1896 lumen	120°	-
---	--------------------	------	------------	------	---



Magic Linea RGBW


- 12 V AC
- MAX 7 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25 m²

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING
- 7 PANEL
- 8 POOL LINER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. TKL230002051C
€ -
p. 162



OPTICAL DIFFUSER
Cod. TKRVT2339
€ -
p. 159



CABLE 5 X 1
Cod. 9012040012
€ -
p. 150



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152



MAGIC LINEA NICHE
Cod. 5500004502
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE				
 2112806694	RGBW	1896 lumen	120°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				
 2112806694L	RGBW	1896 lumen	120°	-



Magic Linea RGBW In


- 12 V AC
- MAX 7 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25 m²

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 FIXING RING
- 7 PANEL
- 8 POOL LINER



Technical drawing (mm)



Accessories

 100 VA IP65 TRANSF. Cod. 0316170011 € - p. 150	 300 VA IP65 TRANSF. Cod. 0321170011 € - p. 150	 DMX BOX Cod. 33161801 € - p. 144	 R. C. FOR DMX BOX Cod. 4494000004 € - p. 144	 STICK KE2 Cod. 29091306 € - p. 146	 STICK DE3 Cod. 29090306 € - p. 146	 STAINLESS STEEL FLANGE Cod. TKL230002053C € - p. 162
 OPTICAL DIFFUSER Cod. TKRVT2339 € - p. 159	 CABLE 5 X 1 Cod. 9012040012 € - p. 150	 LARGE IP68 KIT Cod. 1600010100 € - p. 152	 CONNECTOR M-F IP68 Cod. 5300788700 € - p. 152	 MAGIC LINEA NICHE Cod. 5500004502 € - p. 156		




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH 4m of CABLE					
	6600173400	RGBW	2844 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	6613172500	RGBW	2844 lumen	120°	-



Par 56 RGBW Power


-  12 V AC
-  7 m
-  69 W / 87 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  25 - 30 m²
-  300 W

LED pool lamp with RGBW variable colour, ideal for large pools. Controlled by DMX 512 signal. The standard PAR 56 dimensions makes it possible to install in projectors that are normally used for traditional 300W halogen lamps.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160



OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152





CABLE 5 X 1.5
Cod. 9012050012
€ -
p. 150



PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH 4m of CABLE					
	6611175900	RGBW	1896 lumen	120°	-
LAMP WITH NICHE and 4m of CABLE					
	6611172500	RGBW	1896 lumen	120°	-



Par 56 RGBW


-  12V AC
-  11 m
-  45 W / 61 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  20 - 25 m²
-  300 W

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The standard PAR 56 dimensions makes it possible to install in projectors that are normally used for traditional 300W halogen lamps.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



ST. STEEL FLANGE
Cod. 48043723 31
€ -
p. 160



OPTICAL DIFFUSER
Cod. TKRVT2329
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152




CABLE 5 X 1.5
Cod. 9012050012
€ -
p. 150



PROJECTOR EX 300 W
Cod. 0070000009
€ -
p. 153




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
 7905794700	RGBW	432 lumen	16°	-
7905794900	RGBW	432 lumen	95°	-



Magic Sub RGBW


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1** WALL ADAPTER
- 2** LAMP
- 3** OPTICAL DIFFUSER
- 4** FRONT FLANGE
- 5** GASKET
- 6** INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




Cod.	Colore LED	Flusso Luminoso	Apertura Fascio	€
LAMP WITH PVC FLANGE, INLET, DIFFUSER and 4m of CABLE				
7905834700	RGBW	432 lumen	16°	-
7905834900	RGBW	432 lumen	95°	-



Magic Sub RGBW with PVC flange


- 12 V AC 13 m 17 W / 23 VA
- CL III IP 68 DMX 512 RGBW
- 5 - 10 m²

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Inlet provided for installation in restricted spaces. For panel and reinforced concrete with tiles or pool liner.



- 1 WALL ADAPTER
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 Transf.
Cod. 0316170011
€ -
p. 150



300 VA IP65 Transf.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. for DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150





WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7905237394	RGBW	432 lumen	16°	-
	7905230194	RGBW	432 lumen	95°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	7905237394L	RGBW	432 lumen	16°	-
	7905230194L	RGBW	432 lumen	95°	-

DMX new

Magic Sub RGBW with watertight niche


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 STAINLESS STEEL SPACER
- 7 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



STAINLESS STEEL FLANGE
Cod. 27100023 03
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152







MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH PVC FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7904667394	RGBW	432 lumen	16°	-
	7905667394	RGBW	432 lumen	95°	-
LAMP WITH PVC FLANGE, DIFFUSER and 4m of CABLE					
	7904667394L	RGBW	432 lumen	16°	-
	7905667394L	RGBW	432 lumen	95°	-

DMX new

Magic Sub RGBW with watertight niche


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For panel and reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 PANEL
- 7 POOL LINER
- 8 STAINLESS STEEL SPACER
- 9 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



PVC FLANGE
Cod. TKRML2469
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152





MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, INLET, DIFFUSER and 4m of CABLE				
 7905793100	RGBW	432 lumen	95°	-
 7906793100	RGBW	432 lumen	16°	-



Magic Sub RGBW In


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. Inlet provided for installation in restricted spaces. For recess installation in reinforced concrete with tiles or pool liner.



- 1** WALL ADAPTER
- 2** LAMP
- 3** OPTICAL DIFFUSER
- 4** FRONT FLANGE
- 5** GASKET
- 6** INLET FITTING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150





WALL ADAPTER
Cod. 0330080017
€ -
p. 159



INLET FITTING
Cod. 0210000018
€ -
p. 155




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, NICHE, DIFFUSER and 4m of CABLE					
	7904237394	RGBW	432 lumen	95°	-
	7906237394	RGBW	432 lumen	16°	-
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE					
	7904237394L	RGBW	432 lumen	95°	-
	7906237394L	RGBW	432 lumen	16°	-

DMX new

Magic Sub RGBW In with niche


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The niche included contains space to collect the cable for maintenance. For recess installation in reinforced concrete with tiles or pool liner.



- 1 NICHE
- 2 LAMP
- 3 OPTICAL DIFFUSER
- 4 FRONT FLANGE
- 5 GASKET
- 6 STAINLESS STEEL SPACER
- 7 PLEXY SPACER

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



ST. STEEL FLANGE
Cod. TKL230002035S
€ -
p. 161



OPTICAL DIFFUSER
Cod. TKRVT2346
€ -
p. 160



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



SMALL IP68 KIT
Cod. 1600020100
€ -
p. 152



CONNECTOR M-F IP68
Cod. 5300788700
€ -
p. 152






MINI SUB NICHE
Cod. 5596000000
€ -
p. 158



NICHE SEAL KEY
Cod. 230002095
€ -
p. 156




	Code	LED colour	Luminous Flux	Beam Angle	€
SPECIAL VERSION OF LAMP WITH 4m of CABLE					
	7905664794	RGBW	432 lumen	16°	-
	7904664994	RGBW	432 lumen	95°	-
SPECIAL VERSION LAMP WITH NICHE and 4m of CABLE					
	7904462594	RGBW	432 lumen	95°	-



Mini Sub RGBW Special


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW
-  5 - 10 m²
-  50 W

LED pool lamp with RGBW variable colour, ideal for small pools, jacuzzi areas and steps. Controlled by DMX 512 signal. The dimensions and accessories provided make it possible to install as a replacement for traditional 50 W lamps in Astral and Pools projectors.



- 1 NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 THREADED LAMP HOLDER RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



NICHE
Cod. 0340134009
€ -
p. 154



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				




7414785900

-

DMX new

Stw RGBW Power


- 12 V AC 7 m 69 W / 87 VA
- CL III AISI 316L STEEL GLASS
- IP 68 DMX 512 RGBW
- 25 - 30 300 W



- 1 WIBRE NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 OPTICAL DIFFUSER

LED pool lamp with RGBW variable colour, ideal for large pools. Controlled by DMX 512 signal. The dimensions and the flange provided make it possible to install as a replacement for 300W Par 56 halogen lamps in a Wibre projector.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CABLE 5 X 1
Cod. 9012040012
€ -
p. 150



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH STAINLESS STEEL FLANGE, DIFFUSER and 4m of CABLE				




7413785900	RGBW	1896 lumen	120°	-
------------	------	------------	------	---



Stw RGBW


- 12 V AC
- 7 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW
- 20 - 25 m²
- 300 W



- 1 WIBRE NICHE
- 2 LAMP
- 3 FRONT FLANGE
- 4 OPTICAL DIFFUSER

LED pool lamp with RGBW variable colour, ideal for medium pools. Controlled by DMX 512 signal. The dimensions and the flange provided make it possible to install as a replacement for 300W Par 56 halogen lamps in a Wibre projector.

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



OPTICAL DIFFUSER
Cod. TKRVT2331
€ -
p. 160



LARGE IP68 KIT
Cod. 1600010100
€ -
p. 152



CABLE 5 X 1
Cod. 9012040012
€ -
p. 150



Lights for Fountains

Lighting fountains and water features.

Underwater lights enhance artificial or natural areas of water such as swimming pools and baths. Underwater lighting can really create scenes, design spaces, arouse emotions.

Coloured light amazes, relaxes, activates, envelops: thanks to static and dynamic colour changes so that every space underwater acquires a character which depends on the situation.



FIX

2 wires

LED lamps with 2-wire cable with fixed white colour (w) or blue (b), ideal for replacing old halogen lamps.



OC

2 wires

LED lamps that change colour using RGBW technology with 2-wire cable compatible with existing systems, controlled by a PLC by which it is possible to set 13 fixed colours and 10 automatic sequences.



DMX

5 wires


LED lamps that change colour using RGBW technology with 5-wire cable controlled by a DMX system. Every lamp can be programmed individually so that the spaces can be divided into different zones, making it possible to create automatic sequences and infinite combinations of colours.



FIX

W/B 2 wires

LED lamps with 2-wire cable fixed white colour (W) or blue (B), ideal for replacing old halogen lamps.





Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2112563591	5300K	5160 lumen	110°	-
2112613591	5300K	5160 lumen	40°	-
2112393591	5300K	5160 lumen	25°	-
2112383591	5300K	5160 lumen	15°	-


FIX new

Perla Fountain White Power

- 12 V AC 8 m 54 W / 70 VA
- CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountain with fixed colour, ideal for large installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP

Technical drawing (mm)



Accessories

- 

100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150
- 

300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150
- 

CABLE 2X1.5
Cod. 9003050012
€ -
p. 150
- 

JOINT IP68
Cod. 5395000000
€ -
p. 151
- 

KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2101563591	5300K	4330 lumen	110°	-
2101613591	5300K	4330 lumen	40°	-
2101393591	5300K	4330 lumen	25°	-
2101383591	5300K	4330 lumen	15°	-

FIX new


Perla Fountain White

12V AC C_{MAX} 11 m 48 W / 57 VA

CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountains with fixed colour, ideal for medium installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2109343591	5300K	2795 lumen	110°	-
2109613591	5300K	2795 lumen	40°	-
2109393591	5300K	2795 lumen	25°	-
2109383591	5300K	2795 lumen	15°	-


FIX new

Mini Perla Fountain White

- 12 V AC 30 m 27 W / 36 VA
- CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountain with fixed colour, ideal for medium and small installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP

Technical drawing (mm)



Accessories

- 
100 VA IP65 TRANSF.
 Cod. 0316170011
 € -
 p. 150
- 
300 VA IP65 TRANSF.
 Cod. 0321170011
 € -
 p. 150
- 
CABLE 2X1.5
 Cod. 9003050012
 € -
 p. 150
- 
JOINT IP68
 Cod. 5395000000
 € -
 p. 151
- 
KIT IP68 LARGE
 Cod. 1600010100
 € -
 p. 152



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
7300461292	5300K	5160 lumen	110°	-
7300753492	5300K	5160 lumen	40°	-
7300701292	5300K	5160 lumen	25°	-
7300381292	5300K	5160 lumen	15°	-

FIX


Par 56 Fountain Power

12 V AC 34 m 54 W / 70 VA

CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountain with fixed colour, ideal for large installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SPACERS
- 5 SUPPORT RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 6
Cod. 9003120012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



SWIVEL BRACKET
Cod. 3039000000
€ -
p. 164



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
7411463592	5300K	4060 lumen	110°	-
7411613592	5300K	4060 lumen	40°	-
7411393592	5300K	4060 lumen	25°	-
7411383592	5300K	4060 lumen	15°	-

FIX


Mini Fountain

12 V AC 58 m 36 W / 45 VA

CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountains with fixed colour, ideal for medium installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SUPPORT RING

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 2.5
Cod. 9003070012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



SWIVEL BRACKET
Cod. 3053000000
€ -
p. 164



	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE					
	7900724702	5300K	790 lumen	16°	-
	7900724902	5300K	790 lumen	95°	-

FIX


Mini Sub Fountain

12 V AC 36 m 10 W / 15 VA

CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountain with fixed colour, ideal for medium and small installations. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- MOUNTING BRACKET
- LAMP
- LAMP SUPPORT

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 SMALL
Cod. 1600020100
€ -
p. 152



SWIVEL BRACKET
Cod. 3039008600
€ -
p. 165



Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH FLANGE, INLET AND 4m CABLE				
7900154792	5300K	790 lumen	16°	-
7900154992	5300K	790 lumen	95°	-

FIX


Mini Sub Fountain In

12 V AC 36 m 10 W / 15 VA

CL III AISI 316L STEEL GLASS


IP 68

LED lamp for fountain with fixed colour, ideal for medium and small installations. Available with various lenses to illuminate pools or different water jets. Inlet provided for recess installation in reinforced concrete.



- 1 LAMP
- 2 INLET
- 3 GASKET
- 4 FRONT FLANGE

Technical drawing (mm)



Accessories



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151




KIT IP68 SMALL
Cod. 1600020100
€ -
p. 152




RGBW 2 wires

Colour changing LED lamps with RGBW technology with 2-wire cables compatible with existing installations controlled by PLC

with which it is possible to set 13 fixed colours and 10 automatic sequences.






Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
 2113563594	RGBW	2970 lumen	110°	-
2113613594	RGBW	2970 lumen	40°	-
2113393594	RGBW	2970 lumen	25°	-
2113383594	RGBW	2970 lumen	15°	-



OC

Perla Fountain RGBW Power


-  12 V AC
-  8 m
-  69 W / 87 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC

LED lamp for fountains with variable RGBW colour, ideal for large installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



-  1 MOUNTING BRACKET
-  2 LAMP


Technical drawing (mm)



Accessories

- | | | | | | | |
|---|---|---|---|--|---|---|
|  |  |  |  |  |  |  |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 | JOINT IP68
Cod. 5395000000
€ -
p. 151 | KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
 2102563594	RGBW	2170 lumen	110°	-
2102613594	RGBW	2170 lumen	40°	-
2102393594	RGBW	2170 lumen	25°	-
2102383594	RGBW	2170 lumen	15°	-



OC

Perla Fountain RGBW


-  12 V AC
-  11 m
-  48 W / 60 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC

LED lamp for fountains with variable RGBW colour, ideal for medium installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



-  1 MOUNTING BRACKET
-  2 LAMP

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2X1.5
Cod. 9003050012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2109563594	RGBW	1130 lumen	110°	-
2109613594	RGBW	1130 lumen	40°	-
2109393594	RGBW	1130 lumen	25°	-
2109383594	RGBW	1130 lumen	15°	-

OC

Mini Perla Fountain RGBW


- 12 V AC 10 m 22 W / 28 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP

Technical drawing (mm)



Accessories

- | | | | | | | |
|---|--|---|---|---|--|--|
| | | | | | | |
| OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142 | OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142 | 100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | CABLE 2X1.5
Cod. 9003050012
€ -
p. 150 | JOINT IP68
Cod. 5395000000
€ -
p. 151 | KIT IP68 SMALL
Cod. 1600020100
€ -
p. 152 |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
6013483594	RGBW	2970 lumen	110°	-
6013753594	RGBW	2970 lumen	40°	-
6013703594	RGBW	2970 lumen	25°	-
6013383594	RGBW	2970 lumen	15°	-



Par 56 Fountain RGBW Power


- 12 V AC 30 m 69 W / 87 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC

LED lamp for fountains with variable RGBW colour, ideal for large installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SPACERS
- 5 SUPPORT RING

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 6
Cod. 9003120012
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



SWIVEL BRACKET
Cod. 3039000000
€ -
p. 164




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
6011563500	RGBW	1990 lumen	110°	-
6011753500	RGBW	1990 lumen	40°	-
6011533500	RGBW	1990 lumen	25°	-
6011383500	RGBW	1990 lumen	15°	-

OC

Par 56 Fountain RGBW


- 12 V AC
- MAX 45 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC

LED lamp for fountains with variable RGBW colour, ideal for medium installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SPACERS
- 5 SUPPORT RING

Technical drawing (mm)



Accessories

- OC TRANSM. WITH R. C.**
 Cod. 4493000000
 € -
 p. 142
 - OC TRANSM. WITH BUT.**
 Cod. 4493000064
 € -
 p. 142
 - 100 VA IP65 TRANSF.**
 Cod. 0316170011
 € -
 p. 150
 - 300 VA IP65 TRANSF.**
 Cod. 0321170011
 € -
 p. 150
 - CABLE 2 X 6**
 Cod. 9003120012
 € -
 p. 150
 - JOINT IP68**
 Cod. 5395000000
 € -
 p. 151
 - KIT IP68 LARGE**
 Cod. 1600010100
 € -
 p. 152
-
- SWIVEL BRACKET**
 Cod. 3039000000
 € -
 p. 164




Code	LED colour	Luminous Flux	Beam Angle	€
7411563594	RGBW	990 lumen	110°	-
7411753594	RGBW	990 lumen	40°	-
7411533594	RGBW	990 lumen	25°	-
7411383594	RGBW	990 lumen	15°	-

OC

Mini Fountain RGBW


- 12 V AC MAX 34 m 23 W / 36 VA
- CL III AISI 316L STEEL GLASS
- IP 68 RGBW PLC

LED lamp for fountains with variable RGBW colour, ideal for medium installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SUPPORT RING

Technical drawing (mm)



Accessories

- OC TRANSM. WITH R. C.**
 Cod. 4493000000
 € -
 p. 142
 - OC TRANSM. WITH BUT.**
 Cod. 4493000064
 € -
 p. 142
 - 100 VA IP65 TRANSF.**
 Cod. 0316170011
 € -
 p. 150
 - 300 VA IP65 TRANSF.**
 Cod. 0321170011
 € -
 p. 150
 - CABLE 2 X 2.5**
 Cod. 9003070012
 € -
 p. 150
 - JOINT IP68**
 Cod. 5395000000
 € -
 p. 151
 - KIT IP68 LARGE**
 Cod. 1600010100
 € -
 p. 152
-
- SWIVEL BRACKET**
 Cod. 3053000000
 € -
 p. 164




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE					
	7904383594	RGBW	432 lumen	16°	-
	7904563594	RGBW	432 lumen	95°	-

OC

Mini Sub Fountain RGBW


- 12 V AC
- MAX 20 m
- 17 W / 23 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- RGBW
- PLC

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. PLC control. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- MOUNTING BRACKET
- LAMP
- LAMP SUPPORT

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152





KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152



SWIVEL BRACKET
Cod. 3039008600
€ -
p. 165




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH FLANGE, INLET AND 4m CABLE				
 7904383194	RGBW	432 lumen	16°	-
 7904563194	RGBW	432 lumen	95°	-

OC

Mini Sub Fountain RGBW In


-  12 V AC
-  20 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  RGBW
-  PLC

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. PLC control. Available with various lenses to illuminate pools or different water jets. Inlet provided for recess installation in reinforced concrete.



-  1 LAMP
-  2 INLET
-  3 GASKET
-  4 FRONT FLANGE

Technical drawing (mm)



Accessories



OC TRANSM. WITH R. C.
Cod. 4493000000
€ -
p. 142



OC TRANSM. WITH BUT.
Cod. 4493000064
€ -
p. 142



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 2 X 0.75
Cod. 9003030012
€ -
p. 150



CONNECTOR M-F IP68
Cod. 5300780000
€ -
p. 152



KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152




DMX

RGBW 5 wires

Colour changing LED lamps with RGBW technology with 5-wire cables controlled by a DMX system. Each lamp can be programmed individually making it

possible to divide spaces into different zones and create automatic sequences and infinite colour combinations.






Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2113563542	RGBW	2970 lumen	110°	-
2113613542	RGBW	2970 lumen	40°	-
2113393542	RGBW	2970 lumen	25°	-
2113383542	RGBW	2970 lumen	15°	-

DMX new

Perla Fountain RGBW Power


- 12 V AC 8 m 69 W / 87 VA
- CL III AISI 316L STEEL GLASS
- IP 68 DMX 512 RGBW

LED lamp for fountains with variable RGBW colour, ideal for large installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|---|--|--|
| <p>DMX BOX
Cod. 33161801
€ -
p. 144</p> | <p>R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144</p> | <p>STICK KE2
Cod. 29091306
€ -
p. 146</p> | <p>STICK DE3
Cod. 29090306
€ -
p. 146</p> | <p>SLESA UE8
Cod. 29161306
€ -
p. 147</p> | <p>100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150</p> | <p>300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150</p> |
| <p>CABLE 5 X 1
Cod. 9012040012
€ -
p. 150</p> | <p>JOINT IP68
Cod. 5395000000
€ -
p. 151</p> | <p>"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151</p> | <p>KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152</p> | <p>SWIVEL BRACKET
Cod. 3053000000
€ -
p. 164</p> | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2102563542	RGBW	2170 lumen	110°	-
2102613542	RGBW	2170 lumen	40°	-
2102393542	RGBW	2170 lumen	25°	-
2102383542	RGBW	2170 lumen	15°	-

DMX new

Perla Fountain RGBW


- 12 V AC
- 11 m
- 48 W / 60 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
|
DMX BOX
Cod. 33161801
€ -
p. 144 |
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 |
STICK KE2
Cod. 29091306
€ -
p. 146 |
STICK DE3
Cod. 29090306
€ -
p. 146 |
SLESA UE8
Cod. 29161306
€ -
p. 147 |
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 |
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
|
CABLE 5 X 1
Cod. 9012040012
€ -
p. 150 |
JOINT IP68
Cod. 5395000000
€ -
p. 151 |
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 |
KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 | | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
2109563542	RGBW	1130 lumen	110°	-
2109613542	RGBW	1130 lumen	40°	-
2109393542	RGBW	1130 lumen	25°	-
2109383542	RGBW	1130 lumen	15°	-

DMX new

Mini Perla Fountain RGBW


- 12 V AC 11 m 22 W / 28 VA
- CL III AISI 316L STEEL GLASS
- IP 68 DMX 512 RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.














- 1 MOUNTING BRACKET
- 2 LAMP

Technical drawing (mm)



Accessories

- | | | | | | | | |
|---|---|--|--|--|---|---|--|
| 
DMX BOX
Cod. 33161801
€ -
p. 144 | 
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | 
STICK KE2
Cod. 29091306
€ -
p. 146 | 
STICK DE3
Cod. 29090306
€ -
p. 146 | 
SLESA UE8
Cod. 29161306
€ -
p. 147 | 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 | |
| 
CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150 | 
JOINT IP68
Cod. 5395000000
€ -
p. 151 | 
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 | 
KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 | | | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
4413563594	RGBW	2970 lumen	110°	-
4413753594	RGBW	2970 lumen	40°	-
4413703594	RGBW	2970 lumen	25°	-
4499343494	RGBW	2970 lumen	15°	-



Par 56 Fountain RGBW Power


- 12 V AC 8 m 69 W / 87 VA
- CL III AISI 316L STEEL GLASS
- IP 68 DMX 512 RGBW

LED lamp for fountains with variable RGBW colour, ideal for large installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1 MOUNTING BRACKET
- 2 LAMP
- 3 LAMP SUPPORT
- 4 SPACERS
- 5 SUPPORT RING

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|---|--|--|
|
DMX BOX
Cod. 33161801
€ -
p. 144 |
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 |
STICK KE2
Cod. 29091306
€ -
p. 146 |
STICK DE3
Cod. 29090306
€ -
p. 146 |
SLESA UE8
Cod. 29161306
€ -
p. 147 |
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 |
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
|
CABLE 5 X 1.5
Cod. 9012050012
€ -
p. 150 |
JOINT IP68
Cod. 5395000000
€ -
p. 151 |
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 |
KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 |
SWIVEL BRACKET
Cod. 3039000000
€ -
p. 164 | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
4412563594	RGBW	1896 lumen	110°	-
4412753594	RGBW	1896 lumen	40°	-
4499344094	RGBW	1896 lumen	25°	-
4499341694	RGBW	1896 lumen	15°	-

DMX

Par 56 Fountain RGBW


- 12 V AC
- MAX 11 m
- 45 W / 61 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP
- 3** LAMP SUPPORT
- 4** SPACERS
- 5** SUPPORT RING

Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|---|--|--|
|
DMX BOX
Cod. 33161801
€ -
p. 144 |
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 |
STICK KE2
Cod. 29091306
€ -
p. 146 |
STICK DE3
Cod. 29090306
€ -
p. 146 |
SLESA UE8
Cod. 29161306
€ -
p. 147 |
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 |
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
|
CABLE 5 X 1.5
Cod. 9012050012
€ -
p. 150 |
JOINT IP68
Cod. 5395000000
€ -
p. 151 |
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 |
KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 |
SWIVEL BRACKET
Cod. 3039000000
€ -
p. 164 | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE				
7412563594	RGBW	990 lumen	110°	-
7412753594	RGBW	990 lumen	40°	-
7412533594	RGBW	990 lumen	25°	-
7412383594	RGBW	990 lumen	15°	-



Mini Fountain RGBW


- 12 V AC
- 34 m
- 23 W / 36 VA
- CL III
- AISI 316L STEEL
- GLASS
- IP 68
- DMX 512
- RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.



- 1** MOUNTING BRACKET
- 2** LAMP
- 3** LAMP SUPPORT
- 4** SUPPORT RING


Technical drawing (mm)



Accessories

- | | | | | | | |
|--|--|---|---|--|--|--|
|
DMX BOX
Cod. 33161801
€ -
p. 144 |
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 |
STICK KE2
Cod. 29091306
€ -
p. 146 |
STICK DE3
Cod. 29090306
€ -
p. 146 |
SLESA UE8
Cod. 29161306
€ -
p. 147 |
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 |
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
|
CABLE 5 X 1.5
Cod. 9012050012
€ -
p. 150 |
JOINT IP68
Cod. 5395000000
€ -
p. 151 |
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 |
KIT IP68 LARGE
Cod. 1600010100
€ -
p. 152 | | | |




	Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH SUPPORT and 4m CABLE					
	7905383594	RGBW	432 lumen	16°	-
	7905735900	RGBW	432 lumen	95°	-

DMX

Mini Sub Fountain RGBW


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. With the orientable bracket installation in any position is possible.















- 1** MOUNTING BRACKET
- 2** LAMP
- 3** LAMP SUPPORT



Technical drawing (mm)



Accessories

- | | | | | | | |
|---|---|--|--|---|---|---|
| 
DMX BOX
Cod. 33161801
€ -
p. 144 | 
R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144 | 
STICK KE2
Cod. 29091306
€ -
p. 146 | 
STICK DE3
Cod. 29090306
€ -
p. 146 | 
SLESA UE8
Cod. 29161306
€ -
p. 147 | 
100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150 | 
300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150 |
| 
CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150 | 
JOINT IP68
Cod. 5395000000
€ -
p. 151 | 
"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151 | 
KIT IP68 SMALL
Cod. 1600020100
€ -
p. 152 | 
SWIVEL BRACKET
Cod. 3039008600
€ -
p. 165 | | |




Code	LED colour	Luminous Flux	Beam Angle	€
LAMP WITH FLANGE, INLET AND 4m CABLE				
 7905383194	RGBW	432 lumen	16°	-
 7905155900	RGBW	432 lumen	95°	-

DMX

Mini Sub Fountain RGBW In


-  12 V AC
-  13 m
-  17 W / 23 VA
-  CL III
-  AISI 316L STEEL
-  GLASS
-  IP 68
-  DMX 512
-  RGBW

LED lamp for fountains with variable RGBW colour, ideal for medium and small installations. Controlled with DMX 512 signal. Available with various lenses to illuminate pools or different water jets. Inlet provided for recess installation in reinforced concrete.



-  1 LAMP
-  2 INLET
-  3 GASKET
-  4 FRONT FLANGE

Technical drawing (mm)



Accessories



DMX BOX
Cod. 33161801
€ -
p. 144



R. C. FOR DMX BOX
Cod. 4494000004
€ -
p. 144



STICK KE2
Cod. 29091306
€ -
p. 146



STICK DE3
Cod. 29090306
€ -
p. 146



SLESA UE8
Cod. 29161306
€ -
p. 147



100 VA IP65 TRANSF.
Cod. 0316170011
€ -
p. 150



300 VA IP65 TRANSF.
Cod. 0321170011
€ -
p. 150



CABLE 5 X 0.50
Cod. TKRCV2106
€ -
p. 150



JOINT IP68
Cod. 5395000000
€ -
p. 151



"Y" JOINT IP68
Cod. 5395410000
€ -
p. 151



KIT IP68 SMALL
Cod. 1600020100
€ -
p. 152



Controllers

The only limit is your imagination.

A selection of lighting controllers from the best suppliers in the market, that works with the standard DMX-512 and PLC technology. These systems allow users to exploit all the functions of the lamps.

The technology of the lighting combined with the imagination of the lighting control operators make it possible to create fantastic shows in water.



Oc Transmitter


12 V AC 13 FIXED COLOURS 10 AUTOMATIC SEQUENCES

L 130 x P 110 x H 57 mm


PLC transmitter box for lamps. 13 fixed colours and 8 colour sequences controlled by remote control, external buttons or DMX signal.

Code	Type	€
4493000064	OC TRANSMITTER WITH BUTTONS	266
4493000000	OC TRANSMITTER WITH REMOTE CONTROL	450
4493000042	CONVERTER DMX - OC	450


PLC with buttons wiring diagram



PLC with remote control wiring diagram



PLC with DMX wiring diagram






Remote Control

1 x CR2032  L 55 x P 35 x H 10 mm

Remote control with 2 channels for PLC transmitter.

Code	€
440000000	80

Technical indications




A BUTTON
8 automatic sequences +
2 Party effect

B BUTTON
12 fixed colours

PLC with buttons wiring diagram

B BUTTON | Fixed colours



A BUTTON | Automatic colours


Fade colours every 8 seconds



Fade colours every 24 seconds



Snap colours every 8 seconds



Snap colours every 24 seconds




Fade colours every 8 seconds



Fade colours every 24 seconds



Snap colours every 8 seconds









Snap colours every 24 seconds





Dmx Box


 230 V AC
  1 X 256
  7 FIXED COLOURS
  4 AUTOMATIC SEQUENCES

 1
  L 167 x P 180 x H 65 mm

DMX controller with 256 channels, programmed with 6 fixed colours + white, 4 programs, black out, remotable from keypad, remote control or home automation. USB port for customising the programs.

Code	€
33161801	650

Technical indications



Remote Control

 12 V AC
  L 90 x P 60 x H 25 mm

Kit consisting of remote control and receiver for DMX BOX.

Code	€
449400004	225




Splitter Dmx

 1 x 512 RDM
  DIN
  L 105 x P 110 x H 60 mm

DMX splitter with 1 IN and 6 OUT connections by terminal block with din rail mounting support. 12V DC power supply not included.

Code	€
00120432	608

Technical indications



Dongle Dlc 901



 2 x AA 12V rechargeable
  1 x 512 RDM
  L 110 x P 68 x H 30 mm

DMX RDM Dongle for remote control, test, functions setup, DMX channel setup of Teclumen equipment.

Code	€
33171315	590



Stick Ke2

 2x512
  5
  SMARTPHONE CONTROL
  L 106 x P 145 x H 10 mm

Software to control projectors with a DMX512 signal, complete with CD, USB/ETHERNET/DMX interface, touch-sensitive control panel, mini SD board, independent operation with 1024 DMX channels and 5 zones.

Code	€
29091306	1.200

Accessories



**POWER SUPPLY
STICK**
 0201150000
 € 36

Stick De3

 2x512
  10
  SMARTPHONE CONTROL
  L 105 x P 145 x H 10 mm

Software to control projectors with a DMX512 signal, complete with CD, USB/ETHERNET/DMX interface, touch-sensitive control panel, mini SD board, independent operation with 1024 DMX channels and 10 zones.

Code	€
29090306	1.450

Accessories



**POWER SUPPLY
STICK**
 0201150000
 € 36



Sunlite Slesa

DMX 2x512 5 L 78 x P 95 x H 42 mm

Software to control projectors with a DMX512 signal, complete with CD, USB / DMX interface, mini SD board. Stand Alone operation.

Code	Type	€
29000006	SLESA UE7	900
29161306	SLESA UE8	580

Accessories



POWER SUPPLY USB
0103000006
€ 36

Technical indications

	UE7	U8
USB Connection	v	v
Ethernet Connection	v	
ESA2 Software	v	v
ESAPRO Software	v	
DMX Channels	2 x 512	1 x 512
Number of Scenes	250	99
Number of Zones	5	1



Stick Gu2

DMX 1x128 1 L 86 x P 86 x H 11 mm

Software to control projectors with a DMX512 signal, complete with CD for installation and USB/DMX interface, touch-sensitive control panel, with independent operation.

Code	€
29090106	496

Accessories



POWER SUPPLY STICK
0201150000
€ 36



Accessories

A wide range of quality

The right accessory in a system can make the difference in terms of aesthetics and functional aspects.

A wide range of accessories


selected with care complete the supply of material for installation in lamps in swimming pools and fountains.



Transformer Ip 65

Safety transformer IP65 230 V AC - 12 V AC, 100 / 300 VA.

Code	V	VA	IP	Dimensions L x P x H mm	Weight	€
0316170011	230 V AC / 12 V AC	100 VA	IP65	125 x 160 x 90	2.5 kg	-
0321170011	230 V AC / 12 V AC	300 VA	IP65	140 x 160 x 90	4.1 kg	-




Special Cables

Special cables for electrical connections.

Code	Conductors	Type	external Ø	€
9003120012	2 x 6 mm ²	A	14 mm	-
9003070012	2 x 2.5 mm ²	A	11 mm	-
9003050012	2 x 1.5 mm ²	A	10 mm	-
9003030012	2 x 0.75	A	6.75 mm	-
9012050012	5 x 1.5 mm ²	B	12.5 mm	-
9012040012	5 x 1 mm ²	B	10.5 mm	-
TKRCV2106	5 x 0.50 mm ²	B	8.5 mm	-
9003029912	2 x 0.5 mm ² + SCREEN	C	5.6 mm	-

Technical indications




5-Pin Ip68 Joint



5-Pin watertight IP68 joint for cable with minimum external diameter 7 mm and maximum 13.5 mm.

Code	€
5395000000	-

Technical indications




5-Pin “Y” Ip68 Joint



3-Way “Y” 5-pin watertight IP68 joint for cable with minimum external diameter 7 mm and maximum 13.5 mm.

Code	€
5395410000	-

Technical indications






Ip68 Connectors

Male-female 5-pin IP68 connector kit for underwater cable.

Code	Description	€
5300788705	M-F IP68 CONNECTOR KIT FOR 2x1.5 CABLE	-
5300780000	IP68 CONNECTOR KIT FOR 2x0.75 CABLE	-
5300788700	M-F IP68 CONNECTOR KIT FOR 5x1 CABLE	-

Technical indications



Ip68 Joints Kit For Cable

Kit for IP68 watertight junction of 5 x 1.5 cables (LARGE) and 5x0.5 cables (SMALL).

Contains:


5 x Red Fastons for the electrical junction,

5 x Heat shrink resin tubings for 5 cables

1x Heat shrink resin tubing to cover the whole connection.

Code	Conductors	Type	€
1600010100	5	LARGE	-
1600020100	5	SMALL	-

Assembling sequence






Watertight Isolation Kit

Isolation kit for contacts for Par 56 RF lamp. Contains:
 1 x Junction cap
 2 x Two-component resin syringes (1 for the MINI version)
 1 x disposable gloves
 1 x Resin preparation bag

Code	Description	€
4000370520	WATERTIGHT ISOLATION KIT FOR CONTACTS FOR PAR 56	-
40005305 20	WATERTIGHT ISOLATION KIT FOR MINI	-

Assembling sequence




Projector Ex 300 W



Complete underwater projector for reinforced concrete + PVC and prefabricated + PVC for PAR 56 lamps.

Code	€
0070000009	-

Technical indications (mm)






Projector Ex 100 W

Complete underwater projector for reinforced concrete + PVC and prefabricated + PVC for lamps in the MINI series.

Code	€
0001600009	-

Technical indications (mm)




Projector Ex 50W

Complete underwater projector for reinforced concrete + PVC and prefabricated + PVC for Mini Sub Special lamps.

Code	€
0340134009	-

Technical indications (mm)






Mini Sub Projector

Complete inlet for Mini Sub and Magic Sub lamps.

Code	€
021000018	-

Technical indications (mm)



Perla Niche

Complete watertight niche for reinforced concrete and prefabricated + PVC for PERLA lamps. With cable gland and space for collecting cable.


Code	€
5500008702	-

Accessories



KEY FOR TIGHTENING
THE INTERNAL
CABLE GLAND OF
THE NICHE
230002095
€ -

Technical indications (mm)





Magic Linea Niche

Complete watertight niche for reinforced concrete and prefabricated + PVC for MAGIC LINEA lamps. With cable gland and space for collecting cable.


Code	€
5500004502	-

Accessories



KEY FOR TIGHTENING
THE INTERNAL
CABLE GLAND OF
THE NICHE
230002095
€ -

Technical indications (mm)



Watertight Mini Perla Niche

Complete watertight niche for reinforced concrete and prefabricated + PVC for MINI PERLA lamps. With cable gland and space for collecting cable.


Code	€
5521018700	-

Accessories



KEY FOR TIGHTENING
THE INTERNAL
CABLE GLAND OF
THE NICHE
230002095
€ -

Technical indications (mm)






Mini Perla Small Niche

Complete wall adapter not watertight for reinforced concrete and prefabricated + PVC for per MINI PERLA lamps. Compact size.

Code	€
5521018600	-

Technical indications (mm)



Watertight Micro Perla Niche

Complete watertight niche for reinforced concrete and prefabricated + PVC for MICRO PERLA lamps. With cable gland and space for collecting cable.


Code	€
5521008700	-

Accessories



KEY FOR TIGHTENING
THE INTERNAL
CABLE GLAND OF
THE NICHE
230002095
€ -

Technical indications (mm)






Micro Perla Small Niche

Complete wall adapter not watertight for reinforced concrete and prefabricated + PVC for MICRO PERLA lamps. Compact size.

Code	€
5521008600	-

Technical indications (mm)



Magic And Mini Sub Niche

Complete watertight niche for reinforced concrete and prefabricated + PVC for MINI SUB lamps. With cable gland and space for collecting cable.


Code	€
5596000000	-

Accessories



KEY FOR TIGHTENING
THE INTERNAL
CABLE GLAND OF
THE NICHE
230002095
€ -

Technical indications (mm)






Wall Adapter

Wall adapter for reinforced concrete + PVC and prefabricated + PVC for per MAGIC SUB and MINI SUB lamps.

Code	€
0330080017	-

Technical indications (mm)



Magic Linea Optical Diffuser


Special diffuser that increases the beam angle of the light of our projectors removing shadow cones.

Code	Dimensions	Type	Thickness	€
TKRVT2339	395 x 50 mm	MAGIC LINEA	3 mm	-

Without Optical Diffuser



With Optical Diffuser





Round Optical Diffusers


Special diffuser that increases the beam angle of the light of our projectors removing shadow cones.

Code	Dimensions	Type	Thickness	€
TKRVT2329	Ø 177 mm	PAR 56	3 mm	-
TKRVT2345	Ø 91 mm	PERLA	2 mm	-
TKRVT2333	Ø 148 mm	MINI	3 mm	-
TKRVT2346	Ø 85 mm	MAGIC SUB	3 mm	-
TKRVT2331	Ø 129 mm	STW	3 mm	-
TKRVT2332	Ø 155 mm	STB	3 mm	-
TK230002102	Ø 59 mm	MINI PERLA	2 mm	-

Without Optical Diffuser



With Optical Diffuser



Par 56 Flange

Front flanges in polished AISI316L stainless steel for Par56 underwater projector. Replaces the front flange in PVC.

Code	€
48043723 31	-


Mini Flanges



Front flanges in polished AISI316L stainless steel for MINI underwater projector. Replaces the PVC front flange

Code	Dimensions	Weight	Type	Thickness	€
48045346 31	Ø 242 mm	0.3 kg	A	17 mm	-
48045346 03	260 x 260 mm	0.7 kg	B	14 mm	-

Flange models



Magic And Mini Sub Flanges

Front flanges in polished AISI316L stainless steel for MINI SUB spotlights in various sizes and shapes for various needs, whether aesthetic or function such as pools covered in tiles.

Code	Dimensions	Weight	Type	Thickness	€
4900008626	Ø 96 mm	0.1 kg	A	3 mm	-
4900008726	Ø 150 mm	0.4 kg	B	3 mm	-
TKL230002035S	Ø 116 mm	0.2 kg	C	3 mm	-
27100023 03	Ø 112 mm	0.07 kg	D	6 mm	-
TKRML2469	Ø 112 mm	0.07 kg	E	6 mm	-

Flange models





Perla Flanges

Front flanges in polished AISI316L stainless steel and POM-C for PERLA normal version lamps and recess version in various shapes (IN).

Code	Dimensions	Weight	Type	Thickness	€
TKL230002071C	Ø 192 mm	0.6 kg	A	14 mm	-
TKRML2421	Ø 192 mm	0.4 kg	B	14 mm	-
TKL230002074C	Ø 170 mm	0.8 kg	C	3 mm	-
TKL230002078	170 x 170 mm	0.8 kg	D	3 mm	-
TKL230002075	170 x 170 mm	0.8 kg	E	3 mm	-

Flange models



A




B



C



D



E



Magic Linea Flanges

Front flanges in polished AISI316L stainless steel for MAGIC LINEA lamps normal and recess versions of spotlights (IN).

Code	Dimensions	Weight	Type	Thickness	€
TKL230002051C	476 x 176 mm	0.8 kg	A	24 mm	-
TKL230002053C	476 x 180 mm	1.6 kg	B	3 mm	-

Flange models



A



B



Mini Perla Flanges

Front flanges in polished AISI316L stainless steel or PVC for MINI PERLA normal and recess version lamps (IN).

Code	Dimensions	Weight	Type	Thickness	€
TKL230002098C	Ø 134 mm	0.3 kg	A	12 mm	-
TKRML2465	Ø 134 mm	0.3 kg	B	12 mm	-
TKL230002099C	Ø 134 mm	0.5 kg	C	3 mm	-

Flange models



A



B



C



Micro Perla Flanges

Front flanges in polished AISI316L stainless steel or PVC for MICRO PERLA normal version and recess version lamps (IN).

Code	Dimensions	Weight	Type	Thickness	€
230002114C	Ø 87 mm	0.2 kg	A	10 mm	-
TKRML2467	Ø 87 mm	0.2 kg	B	10 mm	-
TKL23002113C	Ø 75 mm	0.3 kg	C	3 mm	-

Flange models



A



B



C




Bracket For Par 56 Fontana

AISI316L stainless steel swivel bracket for fixing PAR 56 spotlights inside fountains.

Code	Weight	Ø fixing hole	€
3039000000	0.7 kg	Ø 8 mm	-

Technical indications (mm)




Bracket For Mini Fontana

AISI316L stainless steel swivel bracket for fixing MINI TK spotlights inside fountains.

Code	Weight	Ø fixing hole	€
3053000000	0.6 kg	Ø 8 mm	-

Technical indications (mm)






Bracket For Mini Sub Fontana

AISI316L stainless steel swivel bracket for fixing MINI SUB spotlights inside fountains.

Code	Weight	Ø fixing hole	€
3039008600	0.1 kg	Ø 10 mm	-

Technical indications (mm)



GENERAL CONDITIONS OF SALE

ART. 1 GENERAL

These conditions of sale, which supersede and replace previous conditions, are applicable to all the orders processed and are understood as accepted in their entirety by the buyer on verbal or written order confirmation. Collection of the goods constitutes an implicit order confirmation.

ART. 2 PRODUCTS

The products are shown in the relevant catalogues and price lists. Small changes in the production and presentation of the product, which do not change the features of the product's use, may be made by our Company without notice and may not be presented as grounds for cancellation of the order by the buyer.

ART. 3 PRICES

Orders less than € 100.00 (understood as net goods) will not be accepted.

All the prices in our price lists are "Franco Casaloldo (MN) Italia", VAT excluded.

Discounts: are applied in proportion to the quantities ordered annually and by each order. For amounts less than €150.00 no discount is applied. For amounts less than €200.00 payment will be in advance or cash on delivery.

ART. 4 PACKING

For standard packing a cost of 2% of the value of the goods will be charged.

ART. 5 SHIPPING

If the means of transport is not explicitly stated by the customer, the shipment will be sent by the method we consider most suitable and the buyer may not refuse payment of the shipping costs. Goods travel at the customer's risk and liability even if shipped carriage free. Insurance will be provided only at the specific request and cost of the buyer.

ART. 6 DELIVERIES

The delivery terms are not binding but only approximate. The buyer will release the seller from all and any liability for damages resulting from delays in delivering the goods. Delay in the delivery of special pieces specifically produced cannot be construed as grounds for cancellation of the order.

ART. 7 WARRANTY

Our products are covered by a warranty against defects in material or workmanship for which we are responsible, for a period of 12 months from the delivery date. The warranty lapses if:

- a) the product has been used in conditions not indicated by us;
- b) the goods have been modified or tampered with by persons not authorised by our Company.

The warranty covers only the repair or replacement of defective products with the absolute exclusion of any liability arising from damage caused by the use of our products.

N.B.: In the event of repair or replacement at our plant the goods will be shipped at the customer's cost.

ART. 8 COMPLAINTS

Any complaints must be made within 8 days of delivery of the goods.

ART. 9 RETURNS

Every return must be authorised beforehand by the sales department that made the sale, by filling out the relevant RMA form. An identity number will be assigned which must be attached to the goods when they are returned. Goods returned without an identity number will not be accepted. All returns must be shipped carriage free.

ART. 10 PAYMENTS

Payments must be made to Teclumen s.r.l. Discounts and rounding are not accepted and only the cost incurred will be charged back in the invoice. This amount is VAT exempt pursuant to art. 15/3 of Italian Presidential Decree 633/72.

Any late payments will be subject to interest at 1.5% per month in addition to bank charges and any legal fees.

ART. 11 RETENTION CLAUSE

The goods remain the property of the seller Teclumen s.r.l. Until complete payment for the same in addition to the sums due for shipment, insurance, etc.

ART. 12 WITHDRAWAL FROM THE CONTRACT

If the customer cancels the order entirely or partially for any reason, a payment of 20% will be required.

ART. 13 DISPUTES

For any dispute the court of Mantua will have jurisdiction.

ART. 14 SPECIFICATIONS

The data in this document may be subject to change without notice in order to improve the product or correct any errors.

TECLUMEN srl
Via Castel Goffredo, 35/1 - 46040 Casaloldo (MN) - Italy
T +39.0376.778670 - F +39.0376.778660
info@teclumen.it - www.teclumen.it


ENTIRELY MADE IN ITALY

Distributor:



Phone: 407-857-8770

Fax: 407-857-8771

Email: sales@techni-lux.com

www.techni-lux.com